Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

| | | Compariso | n of Racial a | nd Ethnic Di | stribution by | County | | |
|------------|---------------------------------------|-----------------------------|-----------------------------|---------------|---|--------------------------------|----------------|-----------------------------|
| County | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaskan Native % | Asian/Pacific Islander % | Multiple Races | All Other / Unknown % |
| Adair | 221 | 86.0 | 0.0 | 11.3 | 0.0 | 0.9 | 1.8 | 0.0 |
| Adams | 125 | 89.6 | 0.0 | 10.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| Allamakee | 567 | 57.7 | 1.1 | 40.7 | 0.0 | 0.0 | 0.5 | 0.0 |
| Appanoose | 365 | 91.2 | 2.2 | 2.7 | 0.0 | 0.3 | 2.7 | 0.8 |
| Audubon | 107 | 85.0 | 0.0 | 4.7 | 0.0 | 0.0 | 2.8 | 7.5 |
| Benton | 329 | 88.1 | 0.9 | 8.5 | 0.0 | 0.0 | 2.1 | 0.3 |
| Blackhawk | 4,462 | 54.0 | 22.0 | 14.5 | 0.1 | 0.8 | 8.4 | 0.2 |
| Boone | 368 | 85.9 | 0.3 | 7.3 | 0.0 | 0.0 | 1.9 | 4.6 |
| Bremer | 295 | 89.8 | 1.0 | 6.8 | 0.3 | 0.0 | 2.0 | 0.0 |
| Buchanan | 372 | 90.1 | 0.5 | 5.6 | 0.0 | 0.0 | 3.8 | 0.0 |
| Buena Vist | 945 | 27.3 | 7.6 | 60.3 | 0.0 | 2.5 | 1.0 | 1.3 |
| Butler | 158 | 90.5 | 0.0 | 5.7 | 0.0 | 1.3 | 2.5 | 0.0 |
| Calhoun | 120 | 88.3 | 0.8 | 3.3 | 0.0 | 0.0 | 3.3 | 4.2 |
| Carroll | 396 | 85.1 | 0.0 | 7.1 | 0.0 | 0.3 | 2.8 | 4.8 |
| Cass | 389 | 85.9 | 0.0 | 8.7 | 0.0 | 3.3 | 2.1 | 0.0 |
| Cedar | 198 | 87.9 | 1.5 | 5.6 | 0.0 | 0.0 | 4.5 | 0.5 |
| Cerro Gord | 1,308 | 78.1 | 3.4 | 13.8 | 0.2 | 0.5 | 3.9 | 0.1 |
| Cherokee | 320 | 86.6 | 0.9 | 10.9 | 0.3 | 0.3 | 0.9 | 0.0 |
| Chickasaw | 166 | 71.7 | 0.0 | 24.7 | 0.0 | 0.6 | 2.4 | 0.6 |

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

| | | Compariso | n of Racial a | nd Ethnic Di | stribution by | County | | |
|------------|---------------------------------------|-----------------------------|-----------------------------|---------------|---|--------------------------------|------------------|-----------------------------|
| County | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaskan Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Clarke | 358 | 64.5 | 0.0 | 34.9 | 0.0 | 0.0 | 0.6 | 0.0 |
| Clay | 607 | 75.8 | 1.3 | 18.3 | 0.2 | 0.2 | 0.7 | 3.6 |
| Clayton | 296 | 93.2 | 0.3 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| Clinton | 1,288 | 73.4 | 6.1 | 13.0 | 0.0 | 0.2 | 7.2 | 0.1 |
| Crawford | 843 | 28.7 | 3.2 | 66.7 | 0.4 | 0.5 | 0.1 | 0.5 |
| Dallas | 981 | 52.9 | 1.7 | 42.3 | 0.0 | 0.4 | 2.1 | 0.5 |
| Davis | 108 | 88.9 | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| Decatur | 312 | 90.1 | 1.0 | 7.4 | 0.0 | 1.0 | 0.6 | 0.0 |
| Delaware | 254 | 91.3 | 0.4 | 5.1 | 0.0 | 0.8 | 2.4 | 0.0 |
| Des Moines | 1,310 | 69.8 | 11.8 | 6.7 | 0.1 | 0.2 | 11.3 | 0.0 |
| Dickinson | 209 | 89.0 | 0.0 | 5.3 | 0.0 | 1.0 | 1.0 | 3.8 |
| Dubuque | 2,273 | 75.9 | 10.8 | 7.2 | 0.1 | 1.7 | 4.3 | 0.0 |
| Emmet | 316 | 61.1 | 0.6 | 33.9 | 0.0 | 0.0 | 1.3 | 3.2 |
| Fayette | 436 | 89.9 | 1.8 | 6.2 | 0.0 | 0.0 | 1.8 | 0.2 |
| Floyd | 355 | 76.1 | 5.1 | 14.4 | 0.0 | 1.4 | 3.1 | 0.0 |
| Franklin | 339 | 40.1 | 0.3 | 58.7 | 0.0 | 0.3 | 0.6 | 0.0 |
| Fremont | 140 | 77.1 | 0.0 | 16.4 | 0.0 | 0.0 | 6.4 | 0.0 |
| Greene | 219 | 85.4 | 0.9 | 10.0 | 0.0 | 0.5 | 0.5 | 2.7 |
| Grundy | 102 | 92.2 | 1.0 | 3.9 | 0.0 | 2.0 | 1.0 | 0.0 |

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

lowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

| | | Compariso | n of Racial a | nd Ethnic Di | stribution by | County | | |
|-----------|---------------------------------------|-----------------------------|-----------------------------|---------------|---|--------------------------------|----------------|-----------------------------|
| County | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaskan Native % | Asian/Pacific Islander % | Multiple Races | All Other / Unknown % |
| Guthrie | 142 | 87.3 | 0.0 | 12.0 | 0.0 | 0.0 | 0.7 | 0.0 |
| Hamilton | 394 | 68.5 | 0.3 | 19.8 | 0.0 | 7.1 | 3.3 | 1.0 |
| Hancock | 182 | 76.4 | 1.6 | 17.0 | 0.0 | 0.5 | 4.4 | 0.0 |
| Hardin | 399 | 74.4 | 0.8 | 17.8 | 0.0 | 0.0 | 2.8 | 4.3 |
| Harrison | 275 | 88.4 | 0.0 | 10.2 | 0.4 | 0.0 | 1.1 | 0.0 |
| Henry | 452 | 71.5 | 2.9 | 18.4 | 0.0 | 1.5 | 5.8 | 0.0 |
| Howard | 207 | 90.8 | 1.0 | 8.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| Humboldt | 247 | 66.4 | 0.8 | 29.1 | 0.0 | 0.0 | 3.2 | 0.4 |
| lda | 210 | 90.5 | 0.0 | 7.6 | 1.0 | 0.0 | 1.0 | 0.0 |
| Iowa | 225 | 68.0 | 1.3 | 28.9 | 0.0 | 0.0 | 1.8 | 0.0 |
| Jackson | 344 | 85.2 | 1.7 | 7.3 | 0.6 | 0.6 | 4.7 | 0.0 |
| Jasper | 756 | 90.2 | 0.7 | 6.3 | 0.0 | 0.1 | 2.1 | 0.5 |
| Jefferson | 370 | 90.5 | 1.1 | 4.6 | 0.3 | 0.3 | 3.0 | 0.3 |
| Johnson | 2,408 | 42.2 | 23.3 | 24.4 | 0.1 | 4.3 | 5.6 | 0.2 |
| Jones | 314 | 90.1 | 0.3 | 7.0 | 0.0 | 0.0 | 2.5 | 0.0 |
| Keokuk | 132 | 93.2 | 1.5 | 3.8 | 0.0 | 0.0 | 0.8 | 0.8 |
| Kossuth | 261 | 88.5 | 0.8 | 9.2 | 0.0 | 0.4 | 1.1 | 0.0 |
| Lee | 922 | 84.4 | 2.9 | 4.9 | 0.2 | 0.0 | 7.0 | 0.5 |
| Linn | 4,776 | 59.0 | 11.6 | 11.6 | 0.1 | 0.9 | 12.1 | 4.7 |

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

lowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

| | | Compariso | on of Racial a | and Ethnic D | istribution by | County | | |
|------------|---------------------------------------|-----------------------------|-----------------------------|---------------|---|--------------------------------|----------------|-----------------------------|
| County | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaskan Native % | Asian/Pacific Islander % | Multiple Races | All Other / Unknown % |
| Louisa | 325 | 39.4 | 0.6 | 59.7 | 0.0 | 0.0 | 0.3 | 0.0 |
| Lucas | 310 | 90.6 | 0.0 | 1.6 | 0.0 | 0.0 | 3.2 | 4.5 |
| Lyon | 176 | 92.0 | 0.0 | 4.0 | 0.0 | 1.1 | 2.8 | 0.0 |
| Madison | 301 | 89.7 | 1.7 | 6.6 | 0.3 | 0.0 | 1.7 | 0.0 |
| Mahaska | 640 | 88.3 | 1.7 | 7.2 | 0.0 | 0.3 | 2.3 | 0.2 |
| Marion | 788 | 82.5 | 1.9 | 4.3 | 0.0 | 1.4 | 2.9 | 7.0 |
| Marshall | 2,099 | 41.4 | 2.4 | 53.4 | 0.4 | 0.4 | 1.8 | 0.2 |
| Mills | 253 | 89.7 | 0.0 | 9.1 | 0.0 | 0.0 | 1.2 | 0.0 |
| Mitchell | 137 | 91.2 | 0.7 | 7.3 | 0.0 | 0.0 | 0.7 | 0.0 |
| Monona | 267 | 86.5 | 0.4 | 8.6 | 2.2 | 0.4 | 1.5 | 0.4 |
| Monroe | 241 | 81.3 | 0.4 | 7.9 | 0.4 | 0.0 | 2.9 | 7.1 |
| Montgomery | 355 | 83.4 | 0.0 | 15.8 | 0.0 | 0.0 | 0.8 | 0.0 |
| Muscatine | 1,624 | 50.6 | 2.8 | 45.6 | 0.0 | 0.0 | 0.8 | 0.2 |
| O Brien | 331 | 69.8 | 1.2 | 25.4 | 0.3 | 0.6 | 0.6 | 2.1 |
| Osceola | 131 | 64.1 | 0.8 | 32.1 | 0.0 | 0.0 | 0.0 | 3.1 |
| Page | 482 | 86.5 | 0.0 | 10.0 | 0.0 | 0.0 | 3.5 | 0.0 |
| Palo Alto | 205 | 86.8 | 0.5 | 8.3 | 0.0 | 2.0 | 1.0 | 1.5 |
| Plymouth | 392 | 81.6 | 0.8 | 15.1 | 0.3 | 0.5 | 1.5 | 0.3 |
| Pocahontas | 148 | 85.8 | 0.0 | 9.5 | 0.0 | 0.7 | 0.7 | 3.4 |

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

lowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

| | | Compariso | on of Racial a | and Ethnic D | istribution by | County | | |
|------------|---------------------------------------|-----------------------------|-----------------------------|---------------|---|--------------------------------|----------------|-----------------------------|
| County | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaskan Native % | Asian/Pacific Islander % | Multiple Races | All Other / Unknown % |
| Polk | 10,768 | 39.8 | 15.6 | 35.0 | 0.0 | 2.7 | 6.7 | 0.1 |
| Pottawatta | 3,142 | 70.2 | 2.1 | 23.9 | 0.0 | 0.3 | 3.5 | 0.0 |
| Poweshiek | 410 | 87.8 | 0.7 | 9.5 | 0.0 | 0.2 | 1.7 | 0.0 |
| Ringgold | 105 | 84.8 | 0.0 | 11.4 | 0.0 | 2.9 | 1.0 | 0.0 |
| Sac | 154 | 80.5 | 0.6 | 13.0 | 0.0 | 0.0 | 3.9 | 1.9 |
| Scott | 5,054 | 56.7 | 21.0 | 13.9 | 0.0 | 2.1 | 6.3 | 0.1 |
| Shelby | 257 | 84.8 | 0.4 | 12.8 | 0.4 | 0.0 | 1.6 | 0.0 |
| Sioux | 1,004 | 53.1 | 0.7 | 44.6 | 0.3 | 0.3 | 0.9 | 0.1 |
| Story | 1,654 | 60.8 | 8.6 | 12.7 | 0.2 | 6.6 | 5.7 | 5.4 |
| Tama | 480 | 42.3 | 0.2 | 34.2 | 17.7 | 0.6 | 4.4 | 0.6 |
| Taylor | 182 | 68.7 | 1.1 | 28.6 | 0.0 | 0.0 | 1.6 | 0.0 |
| Union | 484 | 88.0 | 2.3 | 6.6 | 0.0 | 0.4 | 2.7 | 0.0 |
| Van Buren | 113 | 98.2 | 0.0 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| Wapello | 1,867 | 69.8 | 0.7 | 27.0 | 0.1 | 0.5 | 1.1 | 0.7 |
| Warren | 828 | 80.0 | 1.1 | 9.4 | 0.1 | 0.2 | 3.5 | 5.7 |
| Washington | 336 | 68.5 | 2.1 | 26.8 | 0.0 | 0.6 | 2.1 | 0.0 |
| Wayne | 178 | 96.6 | 0.0 | 1.1 | 0.0 | 0.6 | 0.0 | 1.7 |
| Webster | 1,390 | 66.0 | 6.1 | 19.3 | 0.1 | 0.2 | 8.1 | 0.3 |
| Winnebago | 273 | 77.7 | 0.7 | 17.9 | 0.0 | 0.4 | 3.3 | 0.0 |

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 3 / 26 / 09

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

| | | Compariso | on of Racial a | and Ethnic D | istribution by | County | | |
|------------------------|---------------------------------------|-----------------------------|-----------------------------|---------------|---|--------------------------------|----------------|-----------------------------|
| County | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaskan Native % | Asian/Pacific Islander % | Multiple Races | All Other / Unknown % |
| Winneshiek | 307 | 83.7 | 0.3 | 14.7 | 0.0 | 0.0 | 1.3 | 0.0 |
| Woodbury | 4,459 | 42.8 | 4.4 | 40.9 | 3.1 | 2.7 | 6.0 | 0.0 |
| Worth | 63 | * | * | * | * | * | * | * |
| Wright | 483 | 53.0 | 0.6 | 44.3 | 0.0 | 0.2 | 1.7 | 0.2 |
| Unknown Counties | 3 | * | * | * | * | * | * | * |
| lowa | 78,172 | 61.8 | 8.1 | 22.7 | 0.4 | 1.3 | 4.8 | 0.9 |
| Nation (Prior Year) | 7,995,600 | 31.6 | 19.4 | 40.9 | 1.0 | 2.5 | 1.8 | 2.7 |

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 26 / 09

| | Comparis | son of Age Distribut | ion by County | |
|------------|-----------------------------------|----------------------|----------------|----------------|
| County | Number Included in Analysis | 0 - 11 Months | 12 - 23 Months | 24 - 59 Months |
| | (3,4) | % | % | % |
| Adair | 221 | 38.0 | 17.6 | 44.3 |
| Adams | 125 | 29.6 | 20.8 | 49.6 |
| Allamakee | 567 | 34.7 | 19.4 | 45.9 |
| Appanoose | 365 | 35.1 | 20.3 | 44.7 |
| Audubon | 107 | 38.3 | 16.8 | 44.9 |
| Benton | 329 | 37.4 | 17.0 | 45.6 |
| Blackhawk | 4,462 | 37.4 | 19.0 | 43.6 |
| Boone | 368 | 35.9 | 19.6 | 44.6 |
| Bremer | 295 | 31.5 | 22.7 | 45.8 |
| Buchanan | 372 | 35.2 | 20.4 | 44.4 |
| Buena Vist | 945 | 32.5 | 20.6 | 46.9 |
| Butler | 158 | 36.7 | 17.7 | 45.6 |
| Calhoun | 120 | 40.0 | 15.8 | 44.2 |
| Carroll | 396 | 43.7 | 16.4 | 39.9 |
| Cass | 389 | 36.8 | 18.3 | 45.0 |
| Cedar | 198 | 37.9 | 21.2 | 40.9 |
| Cerro Gord | 1,308 | 36.4 | 20.4 | 43.2 |
| Cherokee | 320 | 32.5 | 20.9 | 46.6 |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

Page:

2

3 / 26 / 09

| | Comparis | son of Age Distribut | ion by County | |
|------------|-----------------------------------|----------------------|----------------|----------------|
| County | Number Included in Analysis | 0 - 11 Months | 12 - 23 Months | 24 - 59 Months |
| | (3,4) | % | % | % |
| Chickasaw | 166 | 33.1 | 16.9 | 50.0 |
| Clarke | 358 | 41.1 | 17.6 | 41.3 |
| Clay | 607 | 36.7 | 19.3 | 44.0 |
| Clayton | 296 | 34.1 | 19.3 | 46.6 |
| Clinton | 1,288 | 42.5 | 16.8 | 40.6 |
| Crawford | 843 | 35.1 | 19.1 | 45.8 |
| Dallas | 981 | 38.6 | 18.9 | 42.5 |
| Davis | 108 | 25.9 | 22.2 | 51.9 |
| Decatur | 312 | 35.6 | 18.3 | 46.2 |
| Delaware | 254 | 33.1 | 20.9 | 46.1 |
| Des Moines | 1,310 | 37.3 | 20.6 | 42.1 |
| Dickinson | 209 | 38.3 | 21.5 | 40.2 |
| Dubuque | 2,273 | 39.0 | 17.2 | 43.8 |
| Emmet | 316 | 32.6 | 19.3 | 48.1 |
| Fayette | 436 | 32.1 | 21.3 | 46.6 |
| Floyd | 355 | 33.0 | 23.9 | 43.1 |
| Franklin | 339 | 31.6 | 20.4 | 48.1 |
| Fremont | 140 | 33.6 | 20.7 | 45.7 |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 26 / 09

3

| | Comparis | son of Age Distribut | ion by County | |
|-----------|-----------------------------------|----------------------|----------------|----------------|
| County | Number Included in Analysis | 0 - 11 Months | 12 - 23 Months | 24 - 59 Months |
| | (3,4) | % | % | % |
| Greene | 219 | 36.1 | 17.4 | 46.6 |
| Grundy | 102 | 29.4 | 17.6 | 52.9 |
| Guthrie | 142 | 38.0 | 17.6 | 44.4 |
| Hamilton | 394 | 34.8 | 19.5 | 45.7 |
| Hancock | 182 | 32.4 | 22.5 | 45.1 |
| Hardin | 399 | 36.3 | 21.3 | 42.4 |
| Harrison | 275 | 41.1 | 18.5 | 40.4 |
| Henry | 452 | 35.8 | 20.8 | 43.4 |
| Howard | 207 | 35.3 | 24.2 | 40.6 |
| Humboldt | 247 | 30.0 | 19.4 | 50.6 |
| Ida | 210 | 30.0 | 19.0 | 51.0 |
| Iowa | 225 | 35.6 | 20.0 | 44.4 |
| Jackson | 344 | 35.2 | 19.2 | 45.6 |
| Jasper | 756 | 37.2 | 19.2 | 43.7 |
| Jefferson | 370 | 33.2 | 18.9 | 47.8 |
| Johnson | 2,408 | 35.4 | 20.8 | 43.8 |
| Jones | 314 | 38.5 | 17.8 | 43.6 |
| Keokuk | 132 | 29.5 | 21.2 | 49.2 |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 / 26 / 09

| | Compari | son of Age Distribut | ion by County | | |
|------------|-----------------------------------|----------------------|----------------|----------------|--|
| County | Number Included in Analysis | 0 - 11 Months | 12 - 23 Months | 24 - 59 Months | |
| | (3,4) | % | % | % | |
| Kossuth | 261 | 31.4 | 21.1 | 47.5 | |
| Lee | 922 | 39.8 | 18.4 | 41.8 | |
| Linn | 4,776 | 37.3 | 19.2 | 43.5 | |
| Louisa | 325 | 33.2 | 20.0 | 46.8 | |
| Lucas | 310 | 33.5 | 19.4 | 47.1 | |
| Lyon | 176 | 31.3 | 22.2 | 46.6 | |
| Madison | 301 | 35.9 | 18.3 | 45.8 | |
| Mahaska | 640 | 32.3 | 22.5 | 45.2 | |
| Marion | 788 | 33.9 | 19.9 | 46.2 | |
| Marshall | 2,099 | 34.5 | 18.7 | 46.8 | |
| Mills | 253 | 36.4 | 19.8 | 43.9 | |
| Mitchell | 137 | 34.3 | 21.2 | 44.5 | |
| Monona | 267 | 31.5 | 17.6 | 50.9 | |
| Monroe | 241 | 34.0 | 22.0 | 44.0 | |
| Montgomery | 355 | 34.9 | 18.3 | 46.8 | |
| Muscatine | 1,624 | 36.3 | 19.3 | 44.4 | |
| O Brien | 331 | 35.6 | 19.6 | 44.7 | |
| Osceola | 131 | 42.0 | 17.6 | 40.5 | |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

Page:

5

3 / 26 / 09

| | Compari | son of Age Distribut | ion by County | | |
|------------|--|----------------------|---------------------|---------------------|--|
| County | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % | |
| Page | 482 | 40.2 | 18.7 | 41.1 | |
| Palo Alto | 205 | 39.5 | 19.5 | 41.0 | |
| Plymouth | 392 | 34.9 | 23.2 | 41.8 | |
| Pocahontas | 148 | 34.5 | 18.2 | 47.3 | |
| Polk | 10,768 | 36.9 | 21.4 | 41.7 | |
| Pottawatta | 3,142 | 36.0 | 19.4 | 44.7 | |
| Poweshiek | 410 | 35.6 | 18.5 | 45.9 | |
| Ringgold | 105 | 28.6 | 21.0 | 50.5 | |
| Sac | 154 | 33.1 | 19.5 | 47.4 | |
| Scott | 5,054 | 37.4 | 18.8 | 43.8 | |
| Shelby | 257 | 42.0 | 14.0 | 44.0 | |
| Sioux | 1,004 | 31.7 | 20.2 | 48.1 | |
| Story | 1,654 | 37.5 | 18.9 | 43.6 | |
| Tama | 480 | 34.6 | 18.8 | 46.7 | |
| Taylor | 182 | 38.5 | 16.5 | 45.1 | |
| Union | 484 | 35.1 | 20.7 | 44.2 | |
| Van Buren | 113 | 29.2 | 19.5 | 51.3 | |
| Wapello | 1,867 | 35.9 | 20.5 | 43.6 | |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

3 / 26 / 09

6

| | Compari | son of Age Distribut | ion by County | |
|------------------------|-----------------------------------|----------------------|----------------|----------------|
| County | Number Included in Analysis | 0 - 11 Months | 12 - 23 Months | 24 - 59 Months |
| | (3,4) | % | % | % |
| Warren | 828 | 33.6 | 20.3 | 46.1 |
| Washington | 336 | 31.0 | 23.2 | 45.8 |
| Wayne | 178 | 36.0 | 22.5 | 41.6 |
| Webster | 1,390 | 34.2 | 21.0 | 44.7 |
| Winnebago | 273 | 36.6 | 17.9 | 45.4 |
| Winneshiek | 307 | 30.9 | 22.1 | 46.9 |
| Woodbury | 4,459 | 37.5 | 19.1 | 43.4 |
| Worth | 63 | * | * | * |
| Wright | 483 | 35.4 | 21.9 | 42.7 |
| Unknown Counties | 3 | * | * | * |
| lowa | 78,172 | 36.3 | 19.7 | 44.0 |
| Nation (Prior Year) | 7,995,600 | 37.6 | 22.1 | 40.3 |

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|------------------------|--------|------------------------|
| | | Birthweight | (5) | | | Н | eight and V | Veight | | | A | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | nemia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % - ≥95th (Rank) | Number | % (Rank) |
| Adair | 49 | * * | * * | 220 | 3.6 (11) | 2.7 (54) | 16.8 (76) | 96 | * * | * * | 160 | 13.1 (80) |
| Adams | 28 | * * | * * | 123 | 3.3 (7) | 4.9 (88) | 8.1 (1) | 61 | * * | * * | 94 | * * |
| Allamakee | 117 | 12.0 (32) | 11.1 (32) | 558 | 8.4 (90) | 1.6 (12) | 18.3 (84) | 252 | 18.3 (44) | 19.0 (60) | 385 | 7.3 (52) |
| Appanoose | 84 | * * | * * | 353 | 6.8 (74) | 7.4 (97) | 15.3 (63) | 160 | 17.5 (35) | 14.4 (24) | 162 | 6.2 (43) |
| Audubon | 27 | * * | * * | 103 | 6.8 (74) | 1.9 (18) | 9.7 (3) | 49 | * * | * * | 71 | * * |
| Benton | 81 | * * | * * | 324 | 5.6 (49) | 4.0 (80) | 14.8 (55) | 148 | 17.6 (36) | 16.2 (44) | 125 | 4.0 (22) |
| Blackhawk | 1,043 | 9.3 (27) | 6.0 (8) | 4,343 | 6.1 (63) | 3.5 (72) | 14.0 (40) | 1,888 | 17.0 (28) | 13.7 (17) | 2,220 | 3.8 (19) |
| Boone | 79 | * * | * * | 359 | 9.2 (95) | 1.7 (13) | 13.9 (39) | 162 | 13.6 (8) | 18.5 (58) | 172 | 5.2 (34) |
| Bremer | 58 | * * | * * | 291 | 7.2 (83) | 3.8 (74) | 14.4 (48) | 134 | 17.2 (32) | 14.2 (22) | 168 | 2.4 (9) |
| Buchanan | 89 | * * | * * | 368 | 6.8 (74) | 1.9 (18) | 14.1 (41) | 160 | 18.1 (41) | 10.0 (4) | 184 | 1.1 (2) |
| Buena Vist | 208 | 3.4 (1) | 5.8 (7) | 916 | 3.5 (10) | 3.1 (62) | 15.1 (60) | 426 | 17.1 (30) | 18.3 (55) | 639 | 6.9 (48) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 2 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | A | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Butler | 49 | * * | * * | 150 | 2.7 (3) | 2.0 (23) | 15.3 (63) | 66 | * * | * * | 93 | * * |
| Calhoun | 34 | * * | * * | 118 | 6.8 (74) | 4.2 (82) | 11.9 (16) | 53 | * * | * * | 83 | * * |
| Carroll | 106 | 8.5 (17) | 7.5 (15) | 387 | 3.9 (13) | 2.1 (30) | 10.9 (8) | 153 | 21.6 (67) | 11.1 (8) | 277 | 1.8 (3) |
| Cass | 72 | * * | * * | 379 | 6.1 (63) | 1.1 (5) | 19.8 (90) | 169 | 19.5 (57) | 20.7 (66) | 304 | 8.6 (59) |
| Cedar | 44 | * * | * * | 194 | 6.2 (66) | 1.5 (10) | 11.3 (13) | 84 | * * | * * | 142 | 4.2 (24) |
| Cerro Gord | 311 | 11.3 (31) | 10.3 (29) | 1,279 | 6.0 (57) | 4.3 (84) | 14.2 (43) | 557 | 21.0 (62) | 16.0 (41) | 796 | 3.8 (19) |
| Cherokee | 65 | * * | * * | 316 | 4.4 (21) | 1.9 (18) | 13.0 (30) | 140 | 22.1 (69) | 15.7 (38) | 240 | 4.6 (29) |
| Chickasaw | 35 | * * | * * | 162 | 4.9 (31) | 4.3 (84) | 9.3 (2) | 80 | * * | * * | 92 | * * |
| Clarke | 92 | * * | * * | 352 | 6.0 (57) | 6.3 (96) | 10.8 (7) | 147 | 15.6 (13) | 15.0 (30) | 238 | 10.5 (70) |
| Clay | 146 | 7.5 (8) | 5.5 (3) | 587 | 5.6 (49) | 3.4 (68) | 13.6 (34) | 259 | 16.6 (22) | 15.1 (31) | 386 | 3.1 (14) |
| Clayton | 59 | * * | * * | 291 | 5.2 (39) | 2.4 (41) | 15.1 (60) | 141 | 17.0 (28) | 17.0 (49) | 196 | 8.2 (58) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 3 Run Date: 3 / 26 / 09

| | | Com | parison o | of Grow | th and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|---------|-------------------------|---------------------|----------------------|----------|--------------------------------|------------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | | |
| | | Low | High | | Short Stature (6) | Under- weight | | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % □ ≥95th (Rank) | Number | % (Rank) |
| Clinton | 342 | 8.8 (19) | 5.3 (2) | 1,260 | 7.5 (86) | 1.0 (4) | 17.1 (79) | 510 | 21.2 (64) | 15.7 (38) | 836 | 4.3 (26) |
| Crawford | 171 | 8.2 (14) | 8.2 (20) | 810 | 2.8 (4) | 2.3 (36) | 19.4 (86) | 355 | 18.9 (52) | 23.9 (72) | 625 | 6.4 (44) |
| Dallas | 227 | 10.1 (28) | 5.7 (5) | 970 | 4.7 (25) | 2.1 (30) | 15.3 (63) | 406 | 16.7 (23) | 17.0 (49) | 704 | 3.3 (17) |
| Davis | 17 | * * | * * | 106 | 7.5 (86) | 0.9 (2) | 10.4 (6) | 55 | * * | * * | 42 | * * |
| Decatur | 72 | * * | * * | 308 | 10.1 (97) | 2.6 (49) | 20.1 (91) | 141 | 21.3 (66) | 15.6 (34) | 231 | 7.4 (53) |
| Delaware | 45 | * * | * * | 250 | 6.0 (57) | 4.4 (86) | 12.4 (24) | 115 | 18.3 (44) | 8.7 (1) | 200 | 12.0 (75) |
| Des Moines | 311 | 5.5 (2) | 7.1 (14) | 1,293 | 5.9 (54) | 2.6 (49) | 12.2 (21) | 545 | 17.1 (30) | 11.7 (9) | 801 | 9.2 (61) |
| Dickinson | 55 | * * | * * | 205 | 8.3 (89) | 2.0 (23) | 10.2 (5) | 85 | * * | * * | 119 | 4.2 (24) |
| Dubuque | 543 | 9.0 (23) | 10.1 (28) | 2,234 | 4.3 (20) | 3.3 (67) | 12.7 (27) | 974 | 17.8 (39) | 12.9 (12) | 1,690 | 13.6 (82) |
| Emmet | 69 | * * | * * | 304 | 3.9 (13) | 2.6 (49) | 12.5 (25) | 146 | 16.4 (18) | 11.0 (7) | 220 | 5.9 (40) |
| Fayette | 88 | * * | * * | 430 | 4.2 (19) | 3.0 (59) | 14.4 (48) | 201 | 18.9 (52) | 16.4 (45) | 323 | 4.0 (22) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 4 Run Date: 3 / 26 / 09

| | | Com | nparison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|----------|--------|------------------------|------------------------|----------|-------------------------|---------------------|----------------------|----------|--------------------------------|------------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | Δ | |
| | | Low | High | | Short Stature (6) | Under- weight | | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % n ≥95th (Rank) | Number | % (Rank) |
| Floyd | 81 | * * | * * | 349 | 5.4 (43) | 3.2 (64) | 12.3 (23) | 157 | 12.7 (3) | 10.8 (5) | 245 | 2.4 (9) |
| Franklin | 71 | * * | * * | 324 | 3.4 (8) | 4.0 (80) | 13.6 (34) | 154 | 15.6 (13) | 15.6 (34) | 224 | 3.1 (14) |
| Fremont | 27 | * * | * * | 139 | 5.0 (34) | 1.4 (7) | 23.0 (96) | 64 | * * | * * | 108 | 9.3 (63) |
| Greene | 52 | * * | * * | 217 | 6.0 (57) | 0.0 (1) | 13.8 (36) | 102 | 18.6 (50) | 14.7 (26) | 159 | 0.0 (1) |
| Grundy | 15 | * * | * * | 99 | * * | * * | * * | 50 | * * | * * | 46 | * * |
| Guthrie | 34 | * * | * * | 142 | 2.8 (4) | 1.4 (7) | 12.0 (19) | 63 | * * | * * | 97 | * * |
| Hamilton | 84 | * * | * * | 386 | 7.3 (84) | 3.4 (68) | 10.9 (8) | 179 | 20.1 (58) | 12.3 (11) | 287 | 5.2 (34) |
| Hancock | 41 | * * | * * | 178 | 3.4 (8) | 5.6 (94) | 14.6 (50) | 82 | * * | * * | 118 | 5.1 (33) |
| Hardin | 102 | 6.9 (5) | 6.9 (12) | 384 | 6.0 (57) | 3.6 (73) | 13.5 (32) | 168 | 17.3 (34) | 13.1 (14) | 279 | 6.8 (47) |
| Harrison | 68 | * * | * * | 271 | 8.9 (93) | 1.8 (17) | 15.9 (71) | 107 | 26.2 (72) | 19.6 (61) | 188 | 5.3 (36) |
| Henry | 107 | 7.5 (8) | 12.1 (33) | 449 | 4.7 (25) | 2.0 (23) | 14.7 (52) | 198 | 14.6 (11) | 18.7 (59) | 294 | 10.2 (67) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 5 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|-----------|--------|------------------------|------------------------|----------|-------------------------|---------------------|----------------------|----------|--------------------------------|----------------------|--------|---------------|
| | | Birthweight | (5) | | | Н | eight and V | Veight | | | ٨٠ | emia |
| | | Low | High | | Short Stature (6) | Under- weight | | | ≥ 2 Yrs Over- weight (7) | | Low | Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Howard | 49 | * * | * * | 205 | 5.4 (43) | 2.4 (41) | 14.1 (41) | 82 | * * | * * | 138 | 9.4 (64) |
| Humboldt | 51 | * * | * * | 242 | 5.4 (43) | 5.0 (90) | 11.2 (12) | 123 | 21.1 (63) | 12.2 (10) | 193 | 4.7 (30) |
| lda | 40 | * * | * * | 207 | 4.8 (30) | 1.9 (18) | 10.1 (4) | 104 | 13.5 (7) | 9.6 (3) | 162 | 3.1 (14) |
| Iowa | 55 | * * | * * | 207 | 6.8 (74) | 5.8 (95) | 23.7 (97) | 94 | * * | * * | 147 | 10.2 (67) |
| Jackson | 71 | * * | * * | 341 | 4.7 (25) | 2.6 (49) | 16.4 (74) | 150 | 18.7 (51) | 14.7 (26) | 257 | 6.6 (45) |
| Jasper | 178 | 10.1 (28) | 6.7 (11) | 734 | 7.4 (85) | 2.0 (23) | 15.8 (69) | 329 | 18.5 (49) | 16.1 (42) | 580 | 2.8 (12) |
| Jefferson | 77 | * * | * * | 367 | 4.1 (16) | 5.2 (91) | 15.0 (57) | 178 | 11.2 (2) | 12.9 (12) | 184 | 9.2 (61) |
| Johnson | 592 | 9.1 (25) | 7.8 (18) | 2,314 | 6.0 (57) | 3.9 (77) | 13.3 (31) | 1,013 | 16.8 (26) | 13.1 (14) | 1,668 | 9.9 (65) |
| Jones | 74 | * * | * * | 308 | 5.8 (53) | 4.9 (88) | 11.4 (14) | 138 | 13.0 (4) | 10.9 (6) | 221 | 10.0 (66) |
| Keokuk | 22 | * * | * * | 131 | 8.4 (90) | 2.3 (36) | 16.0 (72) | 63 | * * | * * | 71 | * * |
| Kossuth | 52 | * * | * * | 258 | 4.7 (25) | 3.9 (77) | 15.1 (60) | 122 | 16.4 (18) | 15.6 (34) | 184 | 2.2 (7) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 6 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|----------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|----------------------|--------|---------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | ٨٠ | emia |
| | | Low | High | | Short Stature (6) | Under- weight (7) | | | ≥ 2 Yrs Over- weight (7) | | Low | Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Lee | 215 | 10.2 (30) | 7.9 (19) | 907 | 6.3 (68) | 2.4 (41) | 12.9 (29) | 372 | 16.9 (27) | 15.1 (31) | 578 | 7.6 (54) |
| Linn | 1,077 | 7.6 (11) | 9.2 (27) | 4,623 | 5.2 (39) | 3.1 (62) | 11.9 (16) | 2,048 | 17.2 (32) | 13.8 (18) | 3,286 | 11.5 (73) |
| Louisa | 64 | * * | * * | 317 | 5.0 (34) | 2.5 (48) | 15.8 (69) | 142 | 17.6 (36) | 19.7 (62) | 223 | 10.8 (71) |
| Lucas | 60 | * * | * * | 304 | 5.9 (54) | 2.0 (23) | 16.8 (76) | 142 | 13.4 (6) | 18.3 (55) | 237 | 12.2 (76) |
| Lyon | 35 | * * | * * | 174 | 2.9 (6) | 1.7 (13) | 13.8 (36) | 80 | * * | * * | 134 | 4.5 (27) |
| Madison | 72 | * * | * * | 294 | 6.1 (63) | 3.4 (68) | 15.0 (57) | 138 | 14.5 (10) | 14.5 (25) | 209 | 11.5 (73) |
| Mahaska | 137 | 8.8 (19) | 8.8 (23) | 625 | 6.2 (66) | 2.2 (34) | 18.6 (85) | 276 | 14.1 (9) | 16.7 (46) | 529 | 10.8 (71) |
| Marion | 160 | 8.8 (19) | 10.6 (31) | 761 | 6.7 (70) | 2.8 (56) | 14.3 (45) | 360 | 15.6 (13) | 14.7 (26) | 555 | 8.1 (57) |
| Marshall | 442 | 8.4 (15) | 10.4 (30) | 2,013 | 5.2 (39) | 2.4 (41) | 21.4 (94) | 952 | 18.3 (44) | 21.8 (68) | 1,604 | 6.1 (42) |
| Mills | 63 | * * | * * | 246 | 8.9 (93) | 2.8 (56) | 19.5 (87) | 106 | 20.8 (61) | 23.6 (71) | 178 | 2.2 (7) |
| Mitchell | 36 | * * | * * | 134 | 3.7 (12) | 2.2 (34) | 11.9 (16) | 59 | * * | * * | 90 | * * |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 7 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|------------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | Δ., | omio |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % - ≥95th (Rank) | Number | % (Rank) |
| Monona | 54 | * * | * * | 264 | 5.7 (52) | 1.9 (18) | 17.4 (81) | 137 | 21.2 (64) | 16.1 (42) | 206 | 5.8 (39) |
| Monroe | 54 | * * | * * | 237 | 5.5 (47) | 4.2 (82) | 18.1 (83) | 100 | 19.0 (54) | 22.0 (69) | 157 | 14.0 (83) |
| Montgomery | 73 | * * | * * | 347 | 4.9 (31) | 3.2 (64) | 16.4 (74) | 162 | 13.0 (4) | 22.8 (70) | 267 | 6.7 (46) |
| Muscatine | 388 | 7.7 (13) | 6.2 (10) | 1,569 | 6.6 (69) | 1.7 (13) | 17.9 (82) | 689 | 19.2 (55) | 17.9 (53) | 1,042 | 12.4 (78) |
| O Brien | 78 | * * | * * | 325 | 4.6 (23) | 4.6 (87) | 12.0 (19) | 144 | 16.7 (23) | 15.3 (33) | 212 | 2.8 (12) |
| Osceola | 39 | * * | * * | 128 | 4.7 (25) | 2.3 (36) | 12.5 (25) | 56 | * * | * * | 74 | * * |
| Page | 125 | 8.8 (19) | 5.6 (4) | 463 | 6.7 (70) | 3.2 (64) | 21.2 (93) | 193 | 18.1 (41) | 21.2 (67) | 330 | 5.5 (38) |
| Palo Alto | 54 | * * | * * | 202 | 2.5 (2) | 5.4 (92) | 10.9 (8) | 81 | * * | * * | 132 | 4.5 (27) |
| Plymouth | 96 | * * | * * | 386 | 6.7 (70) | 2.1 (30) | 16.8 (76) | 168 | 10.7 (1) | 20.2 (64) | 285 | 2.1 (5) |
| Pocahontas | 35 | * * | * * | 146 | 2.1 (1) | 1.4 (7) | 11.0 (11) | 70 | * * | * * | 92 | * * |
| Polk | 2,733 | 8.6 (18) | 7.5 (15) | 10,524 | 5.3 (42) | 3.0 (59) | 14.2 (43) | 4,380 | 16.4 (18) | 14.1 (21) | 7,290 | 12.2 (76) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 8 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|------------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | A | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % - ≥95th (Rank) | Number | % (Rank) |
| Pottawatta | 750 | 8.4 (15) | 6.1 (9) | 3,077 | 5.0 (34) | 2.4 (41) | 13.8 (36) | 1,383 | 20.3 (60) | 16.7 (46) | 2,185 | 7.0 (49) |
| Poweshiek | 94 | * * | * * | 394 | 6.9 (80) | 2.0 (23) | 21.6 (95) | 185 | 22.2 (70) | 20.5 (65) | 323 | 5.0 (32) |
| Ringgold | 16 | * * | * * | 104 | 6.7 (70) | 2.9 (58) | 20.2 (92) | 56 | * * | * * | 83 | * * |
| Sac | 26 | * * | * * | 148 | 4.1 (16) | 3.4 (68) | 13.5 (32) | 68 | * * | * * | 120 | 2.5 (11) |
| Scott | 1,143 | 9.2 (26) | 9.1 (26) | 4,962 | 5.6 (49) | 2.4 (41) | 12.7 (27) | 2,140 | 16.4 (18) | 13.1 (14) | 3,927 | 13.0 (79) |
| Shelby | 75 | * * | * * | 255 | 8.6 (92) | 3.9 (77) | 15.3 (63) | 110 | 21.8 (68) | 18.2 (54) | 172 | 7.0 (49) |
| Sioux | 211 | 9.0 (23) | 9.0 (25) | 980 | 3.9 (13) | 2.3 (36) | 14.7 (52) | 467 | 18.4 (47) | 15.6 (34) | 737 | 3.9 (21) |
| Story | 390 | 6.7 (4) | 8.5 (21) | 1,597 | 5.9 (54) | 3.0 (59) | 11.6 (15) | 705 | 18.2 (43) | 9.2 (2) | 871 | 7.2 (51) |
| Tama | 99 | * * | * * | 459 | 4.1 (16) | 2.4 (41) | 19.6 (89) | 214 | 15.4 (12) | 20.1 (63) | 381 | 6.0 (41) |
| Taylor | 41 | * * | * * | 179 | 5.0 (34) | 1.1 (5) | 16.2 (73) | 78 | * * | * * | 128 | 8.6 (59) |
| Union | 120 | 12.5 (33) | 5.0 (1) | 480 | 9.8 (96) | 2.1 (30) | 14.6 (50) | 209 | 16.3 (17) | 13.9 (20) | 344 | 13.1 (80) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 9 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | A | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Van Buren | 19 | * * | * * | 112 | 5.4 (43) | 2.7 (54) | 14.3 (45) | 57 | * * | * * | 79 | * * |
| Wapello | 419 | 7.4 (7) | 6.9 (12) | 1,813 | 4.6 (23) | 3.8 (74) | 15.4 (68) | 791 | 15.8 (16) | 18.3 (55) | 884 | 5.3 (36) |
| Warren | 169 | 5.9 (3) | 8.9 (24) | 803 | 7.0 (82) | 2.6 (49) | 14.7 (52) | 381 | 19.4 (56) | 14.7 (26) | 593 | 7.9 (55) |
| Washington | 74 | * * | * * | 329 | 4.9 (31) | 5.5 (93) | 12.2 (21) | 154 | 20.1 (58) | 14.3 (23) | 249 | 14.5 (84) |
| Wayne | 40 | * * | * * | 174 | 7.5 (86) | 2.3 (36) | 14.9 (56) | 73 | * * | * * | 127 | 10.2 (67) |
| Webster | 334 | 6.9 (5) | 8.7 (22) | 1,353 | 6.9 (80) | 2.0 (23) | 17.2 (80) | 592 | 18.4 (47) | 16.9 (48) | 1,010 | 1.8 (3) |
| Winnebago | 60 | * * | * * | 266 | 6.8 (74) | 3.8 (74) | 15.0 (57) | 118 | 17.8 (39) | 17.8 (52) | 171 | 3.5 (18) |
| Winneshiek | 59 | * * | * * | 298 | 4.4 (21) | 1.7 (13) | 19.5 (87) | 139 | 25.2 (71) | 15.8 (40) | 214 | 7.9 (55) |
| Woodbury | 1,076 | 7.6 (11) | 7.6 (17) | 4,354 | 5.0 (34) | 1.5 (10) | 14.3 (45) | 1,903 | 17.7 (38) | 13.8 (18) | 3,131 | 4.9 (31) |
| Worth | 19 | * * | * * | 63 | * * | * * | * * | 26 | * * | * * | 33 | * * |
| Wright | 106 | 7.5 (8) | 5.7 (5) | 470 | 5.5 (47) | 0.9 (2) | 15.3 (63) | 204 | 16.7 (23) | 17.6 (51) | 329 | 2.1 (5) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 10 Run Date: 3 / 26 / 09

| | | Con | nparison | of Growt | h and Aı | nemia I | ndicato | rs by Co | unty | (3,4) | | |
|------------------------|-----------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|------------------------|-----------|-----------------------|
| | | Birthweigh | t (5) | | | He | eight and V | Veight | | | | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % n ≥95th (Rank) | Number | % (Rank) |
| Unknown Counties | 0 | * * | * * | 3 | * * | * * | * * | 2 | * * | * * | 3 | * * |
| lowa | 18,189 | 8.5 | 7.9 | 76,257 | 5.6 | 2.8 | 14.5 | 33,548 | 17.5 | 15.1 | 52,672 | 8.1 |
| Nation (Prior Year) | 1,953,242 | 9.1 | 6.4 | 7,526,58 | 5 6.2 | 4.5 | 13.9 | 3,058,13 | 0 16.4 | 14.9 | 4,759,588 | 3 15.0 |

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

Page: Run Date:

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | Com | nparison | of Brea | astfeedin | ıg, TV | Viewing, | and S | moki | ing i | n Hous | sehold by | County | | | |
|------------|-------|------------------------------------|---------------|--------------------------------------|--------|---------------------------------------|-------|------------------|----------------------------------|------------------|---|------------------|-------------|--------------|-------------|
| | | | Breastfe (| eeding 5) | | | | Exclu | sive B | reastfeed (6) | ding | <2 Hou Viewin | | Smok Hous | |
| County | Numbe | r % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Numbe | Brea A Lea | stfed t ast ast nths | Numbe | er % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Adair | 49 | * * | 37 | * * | 31 | * * | 41 | * | * | 36 | * * | 101 | 85.1 (32) | 212 | 46.7 (65) |
| Adams | 28 | * * | 20 | * * | 18 | * * | 14 | * | * | 17 | * * | 70 | * * | 124 | 54.0 (92) |
| Allamakee | 117 | 77.8 (1) | 102 | 46.1 (1) | 86 | * * | 87 | * | * | 100 | 5.0 (3) | 268 | 92.9 (6) | 535 | 26.2 (10) |
| Appanoose | 87 | * * | 65 | * * | 62 | * * | 47 | * | * | 58 | * * | 170 | 91.2 (9) | 358 | 48.3 (79) |
| Audubon | 31 | * * | 18 | * * | 12 | * * | 18 | * | * | 18 | * * | 45 | * * | 102 | 56.9 (96) |
| Benton | 82 | * * | 56 | * * | 34 | * * | 43 | * | * | 55 | * * | 151 | 91.4 (8) | 311 | 50.8 (87) |
| Blackhawk | 1,060 | 60.5 (21) | 889 | 18.1 (13) | 683 | 11.1 (9) | 756 | 9.1 | (4) | 853 | 3.5 (7) | 1,773 | 80.6 (61) | 4,128 | 42.2 (51) |
| Boone | 81 | * * | 63 | * * | 50 | * * | 36 | * | * | 57 | * * | 116 | 85.3 (30) | 347 | 21.0 (5) |
| Bremer | 58 | * * | 62 | * * | 46 | * * | 45 | * | * | 60 | * * | 119 | 89.1 (13) | 271 | 36.9 (34) |
| Buchanan | 90 | * * | 72 | * * | 62 | * * | 55 | * | * | 72 | * * | 164 | 90.2 (11) | 346 | 47.4 (73) |
| Buena Vist | 213 | 73.2 (4) | 182 | 25.3 (7) | 148 | 16.2 (5) | 126 | 1.6 | (26) | 154 | 1.3 (23) | 467 | 79.2 (64) | 923 | 20.9 (4) |
| Butler | 50 | * * | 25 | * * | 20 | * * | 22 | * | * | 21 | * * | 73 | * * | 155 | 56.1 (94) |
| Calhoun | 34 | * * | 22 | * * | 15 | * * | 24 | * | * | 21 | * * | 54 | * * | 116 | 47.4 (73) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 - Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



urveillance (1) Ru

Page: Run Date:

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | Com | parison | of Brea | astfeedin | ıg, TV | Viewing, | and S | mok | ing i | n Hous | ehold by | County | | | |
|------------|--------|----------------------------------|----------|--------------------------------------|--------|---------------------------------------|--------|-----------------------|------------------------|------------------|--|-----------------------|-------------|--------------|-------------|
| | | | Breastfe | eeding 5) | | | | Exclu | ısive B | reastfeed (6) | ing | ≤2 Hou Viewin (| | Smok Hous | |
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le Mo | % astfed ast ast anths | Number | r % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Carroll | 109 | 59.6 (22) | 81 | * * | 51 | * * | 72 | * | * | 74 | * * | 153 | 82.4 (50) | 372 | 51.1 (89) |
| Cass | 72 | * * | 82 | * * | 63 | * * | 60 | * | * | 80 | * * | | 87.2 (17) | 369 | |
| | | | | | | | | | | | | 187 | . , | | 40.4 (44) |
| Cedar | 44 | * * | 44 | * * | 43 | * * | 50 | * | * | 42 | * * | 7 | * * | 188 | 29.8 (16) |
| Cerro Gord | 313 | 64.2 (14) | 228 | 18.9 (12) | 224 | 9.8 (14) | 158 | 4.4 | (18) | 191 | 2.1 (15) | 570 | 81.8 (55) | 1,266 | 44.6 (61) |
| Cherokee | 65 | * * | 68 | * * | 52 | * * | 44 | * | * | 57 | * * | 150 | 90.7 (10) | 311 | 47.9 (76) |
| Chickasaw | 35 | * * | 30 | * * | 23 | * * | 20 | * | * | 29 | * * | 76 | * * | 162 | 49.4 (85) |
| Clarke | 92 | * * | 74 | * * | 48 | * * | 57 | * | * | 66 | * * | 156 | 79.5 (63) | 351 | 36.5 (31) |
| Clay | 152 | 57.2 (27) | 118 | 16.9 (18) | 103 | 10.7 (11) | 85 | * | * | 108 | 0.9 (27) | 274 | 89.8 (12) | 593 | 44.0 (56) |
| Clayton | 59 | * * | 54 | * * | 45 | * * | 51 | * | * | 53 | * * | 149 | 87.2 (17) | 284 | 48.2 (78) |
| Clinton | 343 | 60.6 (20) | 280 | 17.5 (15) | 188 | 9.0 (17) | 280 | 3.6 | (21) | 274 | 1.8 (18) | 20 | * * | 1,218 | 31.0 (21) |
| Crawford | 173 | 65.3 (13) | 151 | 15.9 (20) | 140 | 8.6 (21) | 156 | 2.6 | (23) | 137 | 1.5 (21) | 382 | 77.7 (65) | 807 | 22.1 (7) |
| Dallas | 229 | 72.9 (5) | 192 | 27.6 (6) | 161 | 15.5 (6) | 187 | 3.7 | (20) | 185 | 1.1 (26) | 404 | 84.9 (34) | 937 | 30.0 (18) |
| Davis | 17 | * * | 11 | * * | 17 | * * | 7 | * | * | 8 | * * | 58 | * * | 101 | 30.7 (20) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) Children ages 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



urveillance (1) Page: Run D

Run Date:

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County

Children Aged < 5 Years (3)

| | | | Breastfe (! | eeding 5) | | | | Exclu | ısive B | reastfeed (6) | ling | ≤2 Hou Viewin (| | | king in ehold |
|------------|-------|------------------------------------|----------------|--------------------------------------|--------|---------------------------------------|--------|-----------------------|------------------------|------------------|--|-----------------------|-------------|--------|------------------|
| County | Numbe | r % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le Mo | % astfed ast ast anths | Numbe | r % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Decatur | 72 | * * | 44 | * * | 45 | * * | 47 | * | * | 36 | * * | 152 | 82.9 (45) | 309 | 49.2 (84) |
| Delaware | 47 | * * | 50 | * * | 42 | * * | 42 | * | * | 46 | * * | 122 | 95.9 (3) | 232 | 32.8 (24) |
| Des Moines | 311 | 57.9 (26) | 257 | 14.4 (24) | 223 | 7.6 (24) | 224 | 4.5 | (15) | 232 | 1.3 (23) | 558 | 80.8 (59) | 1,257 | 42.8 (55) |
| Dickinson | 57 | * * | 43 | * * | 35 | * * | 31 | * | * | 39 | * * | 91 | * * | 206 | 42.2 (51) |
| Dubuque | 552 | 48.2 (33) | 502 | 17.1 (17) | 371 | 9.2 (16) | 434 | 7.6 | (7) | 483 | 2.7 (12) | 1,028 | 97.4 (2) | 2,106 | 22.4 (8) |
| Emmet | 72 | * * | 52 | * * | 46 | * * | 34 | * | * | 45 | * * | 158 | 82.9 (45) | 304 | 39.5 (41) |
| Fayette | 87 | * * | 86 | * * | 75 | * * | 71 | * | * | 84 | * * | 213 | 83.1 (43) | 419 | 48.4 (80) |
| Floyd | 82 | * * | 63 | * * | 67 | * * | 35 | * | * | 46 | * * | 166 | 83.7 (38) | 349 | 53.0 (91) |
| Franklin | 71 | * * | 50 | * * | 54 | * * | 24 | * | * | 37 | * * | 165 | 81.2 (58) | 325 | 28.3 (13) |
| Fremont | 27 | * * | 27 | * * | 25 | * * | 26 | * | * | 26 | * * | 63 | * * | 136 | 25.0 (9) |
| Greene | 52 | * * | 40 | * * | 29 | * * | 38 | * | * | 39 | * * | 107 | 82.2 (54) | 212 | 49.1 (83) |
| Grundy | 17 | * * | 19 | * * | 16 | * * | 17 | * | * | 19 | * * | 55 | * * | 91 | * * |
| Guthrie | 33 | * * | 33 | * * | 21 | * * | 29 | * | * | 31 | * * | 63 | * * | 139 | 46.8 (67) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) Children ages 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



urveillance ⁽¹⁾ Ru

Page: Run Date: 3 / 26

(2)

/ 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County

Children Aged < 5 Years (3)

| | | | Breastfe (! | eeding 5) | | | | Exclusi | ive B | reastfeed (6) | ing | ≤2 Hou Viewin (| | | king in ehold |
|-----------|--------|----------------------------------|----------------|--------------------------------------|--------|---------------------------------------|--------|-----------------------------------|-------------------|------------------|--------------------------------------|-----------------------|-------------|--------|------------------|
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Numbei | Breasi At Leas 3 Mont | tfed st :hs | Number | 8 Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Hamilton | 88 | * * | 85 | * * | 64 | * * | 56 | * | * | 75 | * * | 184 | 75.5 (67) | 382 | 39.3 (40) |
| Hancock | 41 | * * | 22 | * * | 28 | * * | 10 | * | * | 15 | * * | 86 | * * | 176 | 44.3 (60) |
| Hardin | 109 | 51.4 (30) | 67 | * * | 59 | * * | 48 | * | * | 57 | * * | 158 | 83.5 (40) | 371 | 31.5 (22) |
| Harrison | 69 | * * | 54 | * * | 38 | * * | 63 | * | * | 52 | * * | 116 | 75.0 (69) | 262 | 49.6 (86) |
| Henry | 107 | 72.0 (6) | 91 | * * | 84 | * * | 67 | * | * | 85 | * * | 205 | 81.5 (56) | 432 | 39.1 (39) |
| Howard | 49 | * * | 45 | * * | 37 | * * | 38 | * | * | 45 | * * | 86 | * * | 197 | 38.1 (36) |
| Humboldt | 52 | * * | 44 | * * | 33 | * * | 37 | * | * | 38 | * * | 130 | 82.3 (53) | 244 | 37.7 (35) |
| lda | 40 | * * | 31 | * * | 28 | * * | 22 | * | * | 25 | * * | 87 | * * | 205 | 56.6 (95) |
| lowa | 56 | * * | 40 | * * | 30 | * * | 27 | * | * | 36 | * * | 94 | * * | 206 | 33.0 (25) |
| Jackson | 71 | * * | 62 | * * | 44 | * * | 66 | * | * | 61 | * * | 4 | * * | 331 | 36.6 (32) |
| Jasper | 188 | 63.8 (16) | 110 | 20.9 (11) | 92 | * * | 127 | 5.5 (| (14) | 101 | 3.0 (10) | 348 | 84.5 (36) | 726 | 47.9 (76) |
| Jefferson | 78 | * * | 75 | * * | 65 | * * | 48 | * | * | 68 | * * | 181 | 93.4 (5) | 364 | 33.0 (25) |
| Johnson | 607 | 71.0 (9) | 359 | 31.8 (4) | 362 | 18.8 (3) | 331 | 14.2 | (1) | 332 | 5.1 (2) | 896 | 80.0 (62) | 2,223 | 15.7 (1) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



urveillance (1) Page: Run Date:

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

| | | .puiiooii | O. D. O. | | 9, | · io wing, | | | 9 | (4,5 | ehold by | | | | |
|----------|--------|----------------------------------|----------------|--------------------------------------|--------|---------------------------------------|--------|-----------------------|------------------------|------------------|--------------------------------------|------------------------|-------------|--------|------------------|
| | | | Breastfe (! | eeding 5) | | | | Exclu | ısive B | reastfeed (6) | ing | ≤2 Hou Viewin (° | | | king in ehold |
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le Mo | % astfed ast ast anths | Number | 8 Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Jones | 77 | * * | 59 | * * | 51 | * * | 42 | * | * | 58 | * * | 145 | 97.9 (1) | 293 | 26.3 (11) |
| Keokuk | 22 | * * | 26 | * * | 25 | * * | 15 | * | * | 26 | * * | 67 | * * | 130 | 48.5 (81) |
| Kossuth | 52 | * * | 47 | * * | 48 | * * | 19 | * | * | 36 | * * | 121 | 82.6 (49) | 253 | 45.5 (63) |
| Lee | 214 | 57.0 (28) | 194 | 12.4 (28) | 130 | 4.6 (25) | 163 | 6.7 | (9) | 176 | 2.3 (14) | 390 | 85.4 (28) | 881 | 41.8 (50) |
| Linn | 1,173 | 60.8 (18) | 972 | 15.3 (22) | 743 | 8.9 (18) | 723 | 6.5 | (11) | 859 | 3.0 (10) | 1,616 | 86.3 (22) | 4,395 | 40.5 (45) |
| Louisa | 63 | * * | 68 | * * | 54 | * * | 50 | * | * | 60 | * * | 152 | 86.8 (20) | 315 | 29.8 (16) |
| Lucas | 62 | * * | 68 | * * | 58 | * * | 42 | * | * | 65 | * * | 153 | 85.6 (24) | 308 | 46.1 (64) |
| Lyon | 35 | * * | 35 | * * | 33 | * * | 22 | * | * | 30 | * * | 70 | * * | 168 | 47.6 (75) |
| Madison | 72 | * * | 60 | * * | 39 | * * | 53 | * | * | 51 | * * | 145 | 85.5 (25) | 291 | 44.0 (56) |
| Mahaska | 144 | 41.0 (35) | 128 | 14.8 (23) | 109 | 10.1 (12) | 105 | 6.7 | (9) | 122 | 2.5 (13) | 299 | 82.9 (45) | 626 | 47.0 (70) |
| Marion | 171 | 60.8 (18) | 145 | 17.2 (16) | 118 | 11.9 (8) | 118 | 6.8 | (8) | 140 | 3.6 (6) | 386 | 83.4 (42) | 765 | 47.2 (72) |
| Marshall | 485 | 67.4 (11) | 331 | 22.1 (9) | 279 | 9.3 (15) | 319 | 2.2 | (25) | 321 | 1.9 (17) | 1,016 | 82.4 (50) | 2,028 | 20.1 (3) |
| Mills | 64 | * * | 58 | * * | 38 | * * | 69 | * | * | 53 | * * | 117 | 85.5 (25) | 241 | 29.5 (14) |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

urveillance (1) Page: Run Date:

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | | | Breastfe (| eeding 5) | | | | Exclu | ısive B | reastfeed (6) | ing | <u><</u> 2 Hoι Viewin (| | | king in ehold |
|------------|--------|-----------------------------|---------------|--------------------------------------|--------|---------------------------------------|--------|-----------------------|--|------------------|------------------------------------|----------------------------------|-------------|--------|------------------|
| County | Number | Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Numbei | Brea A Le Mo | % astfed At east 3 nths | Number | Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Mitchell | 36 | * * | 24 | * * | 22 | * * | 17 | * | * | 19 | * * | 59 | * * | 136 | 44.1 (59) |
| Monona | 54 | * * | 26 | * * | 24 | * * | 40 | * | * | 25 | * * | 140 | 86.4 (21) | 259 | 44.0 (56) |
| Monroe | 55 | * * | 52 | * * | 38 | * * | 35 | * | * | 48 | * * | 116 | 85.3 (30) | 237 | 55.7 (93) |
| Montgomery | 73 | * * | 60 | * * | 49 | * * | 67 | * | * | 59 | * * | 176 | 76.1 (66) | 342 | 33.9 (29) |
| Muscatine | 386 | 71.5 (8) | 332 | 34.6 (3) | 265 | 26.0 (1) | 288 | 2.4 | (24) | 316 | 0.9 (27) | 738 | 88.1 (15) | 1,564 | 33.7 (28) |
| O Brien | 78 | * * | 61 | * * | 50 | * * | 44 | * | * | 55 | * * | 158 | 85.4 (28) | 326 | 39.6 (42) |
| Osceola | 41 | * * | 26 | * * | 18 | * * | 21 | * | * | 23 | * * | 58 | * * | 127 | 42.5 (54) |
| Page | 127 | 48.0 (34) | 113 | 15.9 (20) | 85 | * * | 125 | 5.6 | (13) | 109 | 3.7 (5) | 208 | 80.8 (59) | 458 | 30.6 (19) |
| Palo Alto | 56 | * * | 46 | * * | 34 | * * | 37 | * | * | 39 | * * | 87 | * * | 200 | 48.5 (81) |
| Plymouth | 97 | * * | 82 | * * | 81 | * * | 63 | * | * | 73 | * * | 163 | 84.7 (35) | 383 | 46.7 (65) |
| Pocahontas | 35 | * * | 25 | * * | 21 | * * | 15 | * | * | 24 | * * | 74 | * * | 148 | 52.7 (90) |
| Polk | 2,753 | 65.6 (12) | 1,846 | 24.9 (8) | 1,833 | 14.3 (7) | 1,382 | 4.0 | (19) | 1,774 | 1.8 (18) | 3,066 | 75.4 (68) | 9,679 | 29.5 (14) |
| Pottawatta | 752 | 50.4 (32) | 622 | 12.5 (27) | 479 | 8.6 (21) | 492 | 5.9 | (12) | 567 | 1.6 (20) | 1,475 | 82.7 (48) | 3,013 | 44.9 (62) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) Children ages 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Children Aged < 5 Years (3)

urveillance (1) Page: Run Date:

Iowa
Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)

| | | | Breastfe (t | • | | | | Exclu | sive B | reastfeedii (6) | ng | ≤2 Hou Viewin (| | | king in ehold |
|-----------|--------|----------------------------------|----------------|--------------------------------------|-------------|---------------------------------------|--------|-------------------|-----------------------|--------------------|--------------------------------------|-----------------------|-------------|--------|------------------|
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number I | % Breastfed At Least 12 Months (Rank) | Number | Brea: A Lea | t ast 3 nths | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Poweshiek | 104 | 59.6 (22) | 67 | * * | 60 | * * | 61 | * | * | 60 | * * | 190 | 83.7 (38) | 399 | 41.4 (49) |
| Ringgold | 16 | * * | 14 | * * | 8 | * * | 10 | * | * | 12 | * * | 59 | * * | 102 | 59.8 (97) |
| Sac | 30 | * * | 20 | * * | 19 | * * | 21 | * | * | 19 | * * | 70 | * * | 144 | 42.4 (53) |
| Scott | 1,145 | 50.5 (31) | 985 | 13.9 (25 | 787 | 8.9 (18) | 1,073 | 4.5 | (15) | 955 | 2.0 (16) | 2,248 | 83.8 (37) | 4,877 | 41.2 (47) |
| Shelby | 75 | * * | 58 | * * | 36 | * * | 62 | * | * | 57 | * * | 110 | 94.5 (4) | 250 | 46.8 (67) |
| Sioux | 211 | 75.8 (2) | 195 | 31.8 (4) | 173 | 17.9 (4) | 140 | 13.6 | (2) | 173 | 3.5 (7) | 460 | 86.1 (23) | 968 | 27.6 (12) |
| Story | 407 | 71.7 (7) | 299 | 36.5 (2) | 286 | 24.5 (2) | 186 | 13.4 | (3) | 267 | 7.1 (1) | 538 | 81.4 (57) | 1,562 | 18.6 (2) |
| Tama | 109 | 67.9 (10) | 78 | * * | 64 | * * | 72 | * | * | 75 | * * | 235 | 71.5 (70) | 455 | 32.7 (23) |
| Taylor | 41 | * * | 38 | * * | 25 | * * | 34 | * | * | 36 | * * | 85 | * * | 174 | 35.6 (30) |
| Union | 120 | 62.5 (17) | 91 | * * | 68 | * * | 80 | * | * | 79 | * * | 228 | 85.5 (25) | 476 | 50.8 (87) |
| Van Buren | 19 | * * | 21 | * * | 20 | * * | 13 | * | * | 19 | * * | 62 | * * | 111 | 46.8 (67) |
| Wapello | 436 | 59.6 (22) | 396 | 16.9 (18 |) 313 | 9.9 (13) | 255 | 9.0 | (5) | 337 | 4.5 (4) | 773 | 92.2 (7) | 1,815 | 21.2 (6) |
| Warren | 181 | 73.5 (3) | 155 | 18.1 (13 |) 127 | 11.0 (10) | 112 | 4.5 | (15) | 147 | 1.4 (22) | 154 | 88.3 (14) | 798 | 39.8 (43) |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

urveillance (1) Page: Run Date:

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | Com | parison | of Brea | stfeedir | ng, TV \ | Viewing | , and S | moking i | in House | hold by | County | | | |
|------------------------|---------|----------------------------------|----------------|--------------------------------------|----------|---------------------------------------|---------|--------------------------------------|---------------|--------------------------------------|-----------------------|-------------|----------|-------------------|
| | | | Breastfe (5 | Ū | | | | Exclusive E | Breastfeeding | g | ≤2 Hor Viewin (| | | king in sehold |
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| | 170 | * * | 50 | * * | 50 | * * | 10 | * * | 50 | * * | 100 | | 00.4 | |
| Washington | 76 | ^ ^ | 56 | | 59 | | 46 | | 52 | | 139 | 83.5 (40) | 324 | 40.7 (46) |
| Wayne | 40 | * * | 28 | * * | 35 | * * | 29 | * * | 28 | * * | 78 | * * | 172 | 41.3 (48) |
| Webster | 337 | 59.3 (25) | 279 | 21.9 (10) | 240 | 8.8 (20) | 194 | 7.7 (6) | 228 | 3.1 (9) | 657 | 87.7 (16) | 1,372 | 38.3 (37) |
| Winnebago | 62 | * * | 55 | * * | 34 | * * | 30 | * * | 39 | * * | 125 | 87.2 (17) | 261 | 47.1 (71) |
| Winneshiek | 59 | * * | 57 | * * | 48 | * * | 45 | * * | 55 | * * | 147 | 85.0 (33) | 293 | 38.9 (38) |
| Woodbury | 1,079 | 55.1 (29) | 759 | 13.3 (26) | 614 | 8.1 (23) | 741 | 3.4 (22) | 699 | 1.3 (23) | 1,874 | 83.0 (44) | 4,177 | 33.2 (27) |
| Worth | 19 | * * | 11 | * * | 6 | * * | 6 | * * | 10 | * * | 27 | * * | 62 | * * |
| Wright | 111 | 64.0 (15) | 87 | * * | 88 | * * | 64 | * * | 80 | * * | 222 | 82.4 (50) | 466 | 36.7 (33) |
| Unknown Counties | 0 | * * | 1 | * * | 1 | * * | 0 | * * | 0 | * * | 2 | * * | 3 | * * |
| lowa | 18,572 | 61.2 | 14,633 | 20.0 | 12,273 | 11.7 | 12,173 | 6.2 | 13,534 | 2.7 | 31,351 | 83.7 | 73,918 | 35.6 |
| Nation (Prior Year) | 1,747,0 | 04 59.8 | 874,434 | 25.4 | 979,105 | 5 17.5 | 127,047 | 7 10.2 | 182,064 | 5.2 | 687,613 | 75.0 | 3,047,30 | 811.3 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Adair | 154 | 8.4 (39) | 6.5 (20) | 675 | 5.2 (34) | 3.6 (75) | 17.8 (94) | 294 | 16.7 (32) | 17.3 (78) | 478 | 14.0 (97) |
| Adams | 77 | * * | * * | 335 | 3.3 (4) | 4.2 (86) | 11.9 (16) | 153 | 16.3 (26) | 10.5 (5) | 242 | 10.3 (84) |
| Allamakee | 366 | 10.1 (71) | 10.7 (78) | 1,627 | 7.3 (83) | 2.2 (23) | 16.5 (80) | 731 | 17.2 (38) | 17.5 (81) | 1,103 | 8.1 (65) |
| Appanoose | 251 | 9.6 (63) | 6.4 (18) | 1,053 | 7.5 (89) | 6.0 (99) | 14.1 (50) | 465 | 14.6 (10) | 15.3 (48) | 519 | 6.4 (46) |
| Audubon | 72 | * * | * * | 309 | 8.1 (96) | 0.6 (1) | 9.1 (1) | 139 | 20.1 (85) | 12.9 (24) | 214 | 1.4 (4) |
| Benton | 222 | 7.2 (19) | 7.2 (28) | 956 | 4.8 (24) | 3.7 (77) | 15.1 (64) | 428 | 16.6 (30) | 16.1 (61) | 371 | 4.9 (27) |
| Blackhawk | 3,170 | 9.4 (61) | 6.6 (22) | 12,554 | 5.9 (62) | 4.0 (83) | 13.0 (33) | 5,353 | 17.1 (37) | 14.0 (37) | 6,016 | 5.8 (40) |
| Boone | 259 | 9.7 (66) | 7.3 (31) | 1,175 | 7.2 (79) | 3.0 (53) | 12.9 (30) | 523 | 17.6 (47) | 15.7 (53) | 516 | 5.2 (32) |
| Bremer | 178 | 9.6 (63) | 5.1 (7) | 806 | 5.6 (51) | 3.1 (59) | 12.9 (30) | 344 | 15.4 (15) | 13.1 (27) | 467 | 3.9 (17) |
| Buchanan | 265 | 4.5 (3) | 9.4 (68) | 1,096 | 4.8 (24) | 2.9 (48) | 14.6 (59) | 487 | 19.7 (80) | 13.3 (29) | 543 | 3.1 (10) |
| Buena Vist | 581 | 6.4 (11) | 6.7 (23) | 2,525 | 4.4 (19) | 3.0 (53) | 15.3 (67) | 1,146 | 17.6 (47) | 18.4 (84) | 1,726 | 8.0 (64) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 2 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|---------------------|----------------------|----------|--------------------------------|----------------------|--------|----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | A | |
| | | Low | High | | Short Stature (6) | Under- weight | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct 8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Butler | 111 | 10.8 (76) | 4.5 (5) | 398 | 4.3 (15) | 3.0 (53) | 16.8 (86) | 169 | 17.2 (38) | 15.4 (49) | 255 | 7.1 (52) |
| Calhoun | 93 | * * | * * | 398 | 4.8 (24) | 1.8 (13) | 10.6 (6) | 183 | 19.7 (80) | 12.6 (14) | 270 | 1.5 (5) |
| Carroll | 288 | 8.0 (33) | 9.0 (62) | 1,159 | 4.1 (12) | 2.2 (23) | 11.6 (13) | 465 | 22.2 (97) | 13.5 (32) | 779 | 1.5 (5) |
| Cass | 256 | 7.4 (22) | 5.9 (12) | 1,113 | 6.1 (67) | 1.1 (3) | 18.6 (95) | 481 | 19.5 (76) | 18.7 (86) | 812 | 7.6 (58) |
| Cedar | 137 | 10.2 (72) | 7.3 (31) | 570 | 5.4 (46) | 1.6 (9) | 10.4 (4) | 237 | 18.1 (58) | 7.2 (1) | 399 | 3.8 (16) |
| Cerro Gord | 1,010 | 8.8 (49) | 9.8 (74) | 3,832 | 6.0 (64) | 4.7 (92) | 13.5 (41) | 1,630 | 19.5 (76) | 16.0 (59) | 2,349 | 5.7 (39) |
| Cherokee | 215 | 6.5 (12) | 7.0 (25) | 943 | 5.2 (34) | 2.7 (42) | 12.9 (30) | 420 | 21.4 (93) | 13.8 (36) | 674 | 4.3 (18) |
| Chickasaw | 110 | 10.0 (69) | 6.4 (18) | 566 | 5.5 (48) | 3.7 (77) | 10.4 (4) | 268 | 16.0 (22) | 10.8 (6) | 348 | 5.2 (32) |
| Clarke | 259 | 10.4 (74) | 7.7 (38) | 981 | 7.2 (79) | 4.7 (92) | 12.7 (26) | 406 | 15.0 (11) | 12.8 (23) | 646 | 8.8 (71) |
| Clay | 397 | 8.8 (49) | 8.1 (46) | 1,621 | 5.9 (62) | 3.6 (75) | 14.1 (50) | 695 | 16.7 (32) | 15.7 (53) | 1,064 | 6.2 (44) |
| Clayton | 210 | 11.0 (77) | 8.1 (46) | 910 | 7.3 (83) | 2.1 (20) | 15.6 (71) | 386 | 17.9 (53) | 15.5 (51) | 588 | 7.8 (63) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 3 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|---------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Н | eight and V | Veight | | | | |
| | | Low | High | | Short Stature (6) | Under- weight | | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Clinton | 997 | 8.4 (39) | 6.0 (13) | 3,628 | 7.0 (77) | 1.2 (5) | 16.5 (80) | 1,425 | 19.3 (75) | 14.6 (42) | 2,273 | 4.8 (24) |
| Crawford | 536 | 6.9 (18) | 7.3 (31) | 2,380 | 2.8 (2) | 2.4 (28) | 17.4 (90) | 1,037 | 18.6 (66) | 21.8 (97) | 1,767 | 8.5 (69) |
| Dallas | 673 | 7.7 (28) | 7.7 (38) | 2,745 | 4.4 (19) | 2.4 (28) | 14.6 (59) | 1,187 | 20.6 (90) | 17.1 (75) | 1,906 | 2.0 (7) |
| Davis | 68 | * * | * * | 318 | 5.7 (56) | 1.6 (9) | 13.5 (41) | 138 | 16.7 (32) | 16.7 (70) | 124 | 4.8 (24) |
| Decatur | 199 | 11.6 (80) | 8.5 (54) | 904 | 7.9 (92) | 3.0 (53) | 16.3 (76) | 416 | 17.5 (45) | 12.7 (16) | 668 | 9.6 (80) |
| Delaware | 152 | 7.2 (19) | 10.5 (77) | 695 | 5.2 (34) | 4.7 (92) | 11.2 (9) | 311 | 17.0 (36) | 9.3 (2) | 502 | 10.6 (86) |
| Des Moines | 962 | 7.7 (28) | 8.4 (52) | 3,736 | 6.0 (64) | 2.8 (45) | 11.6 (13) | 1,513 | 17.8 (51) | 11.3 (10) | 2,245 | 11.0 (87) |
| Dickinson | 153 | 6.5 (12) | 8.5 (54) | 621 | 5.6 (51) | 2.9 (48) | 13.4 (40) | 258 | 19.8 (84) | 14.7 (43) | 378 | 5.6 (38) |
| Dubuque | 1,608 | 7.6 (25) | 9.4 (68) | 6,438 | 4.3 (15) | 3.4 (69) | 11.7 (15) | 2,827 | 17.7 (50) | 12.7 (16) | 4,600 | 12.1 (93) |
| Emmet | 213 | 13.1 (85) | 5.6 (10) | 874 | 5.3 (43) | 2.9 (48) | 13.7 (45) | 378 | 17.5 (45) | 12.7 (16) | 590 | 8.3 (67) |
| Fayette | 274 | 7.3 (21) | 6.2 (14) | 1,223 | 5.2 (34) | 3.2 (62) | 14.1 (50) | 536 | 20.3 (87) | 15.9 (57) | 866 | 6.5 (48) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 4 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|----------|--------|------------------------|------------------------|----------|-------------------------|---------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | | |
| | | Low | High | | Short Stature (6) | Under- weight | | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Floyd | 249 | 8.4 (39) | 11.2 (79) | 1,026 | 5.2 (34) | 3.5 (72) | 13.1 (34) | 457 | 16.4 (27) | 12.9 (24) | 691 | 6.2 (44) |
| Franklin | 217 | 4.6 (4) | 9.2 (65) | 947 | 3.4 (6) | 3.7 (77) | 16.2 (75) | 457 | 21.4 (93) | 17.5 (81) | 655 | 4.4 (19) |
| Fremont | 89 | * * | * * | 437 | 5.3 (43) | 3.7 (77) | 16.9 (87) | 189 | 15.9 (18) | 19.6 (94) | 318 | 11.3 (91) |
| Greene | 150 | 9.3 (59) | 4.7 (6) | 652 | 4.6 (21) | 1.1 (3) | 14.6 (59) | 309 | 19.7 (80) | 17.5 (81) | 453 | 0.2 (1) |
| Grundy | 55 | * * | * * | 292 | 6.8 (75) | 5.1 (96) | 12.7 (26) | 134 | 20.1 (85) | 15.7 (53) | 123 | 7.3 (53) |
| Guthrie | 95 | * * | * * | 408 | 2.0 (1) | 4.2 (86) | 10.8 (7) | 183 | 13.7 (5) | 12.6 (14) | 284 | 0.7 (2) |
| Hamilton | 264 | 10.6 (75) | 5.3 (8) | 1,088 | 8.4 (99) | 3.1 (59) | 12.2 (19) | 471 | 18.7 (69) | 12.7 (16) | 740 | 7.4 (55) |
| Hancock | 117 | 2.6 (1) | 7.7 (38) | 504 | 3.4 (6) | 4.2 (86) | 16.9 (87) | 218 | 16.5 (29) | 17.4 (80) | 329 | 5.2 (32) |
| Hardin | 273 | 8.4 (39) | 7.7 (38) | 1,134 | 6.2 (71) | 3.1 (59) | 13.9 (47) | 501 | 15.2 (13) | 15.8 (56) | 836 | 6.0 (42) |
| Harrison | 194 | 8.8 (49) | 6.7 (23) | 744 | 7.3 (83) | 2.3 (26) | 14.0 (49) | 301 | 21.9 (96) | 17.3 (78) | 518 | 9.3 (76) |
| Henry | 326 | 8.6 (45) | 12.3 (82) | 1,279 | 5.2 (34) | 2.1 (20) | 12.4 (22) | 539 | 17.3 (41) | 14.1 (39) | 781 | 9.7 (81) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 5 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|-----------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | A | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Howard | 140 | 5.0 (5) | 7.1 (27) | 590 | 5.6 (51) | 3.2 (62) | 14.9 (62) | 232 | 18.5 (65) | 15.9 (57) | 373 | 8.8 (71) |
| Humboldt | 163 | 12.9 (84) | 8.6 (56) | 782 | 5.1 (31) | 2.9 (48) | 13.3 (38) | 370 | 18.6 (66) | 12.7 (16) | 582 | 3.1 (10) |
| lda | 122 | 9.0 (54) | 1.6 (1) | 618 | 5.7 (56) | 1.6 (9) | 10.2 (3) | 296 | 15.5 (16) | 11.1 (9) | 454 | 3.1 (10) |
| Iowa | 145 | 10.3 (73) | 8.3 (49) | 641 | 8.1 (96) | 5.6 (97) | 19.7 (98) | 294 | 12.6 (1) | 19.4 (92) | 411 | 9.2 (75) |
| Jackson | 240 | 6.7 (15) | 8.3 (49) | 1,052 | 6.3 (72) | 2.4 (28) | 15.2 (65) | 447 | 15.9 (18) | 14.3 (41) | 741 | 5.1 (30) |
| Jasper | 504 | 11.9 (82) | 6.2 (14) | 2,139 | 7.7 (91) | 3.0 (53) | 14.1 (50) | 959 | 16.6 (30) | 14.2 (40) | 1,647 | 3.5 (15) |
| Jefferson | 234 | 3.4 (2) | 15.8 (85) | 1,026 | 5.3 (43) | 4.1 (85) | 12.6 (24) | 465 | 14.0 (6) | 11.0 (7) | 487 | 7.6 (58) |
| Johnson | 1,636 | 9.4 (61) | 7.2 (28) | 6,499 | 5.7 (56) | 4.2 (86) | 12.3 (21) | 2,876 | 16.9 (35) | 11.4 (11) | 4,533 | 11.4 (92) |
| Jones | 218 | 8.3 (37) | 8.3 (49) | 903 | 6.1 (67) | 4.5 (91) | 11.4 (10) | 384 | 13.0 (2) | 13.0 (26) | 611 | 9.3 (76) |
| Keokuk | 88 | * * | * * | 419 | 6.7 (74) | 2.6 (38) | 13.1 (34) | 192 | 24.5 (98) | 15.1 (46) | 224 | 4.9 (27) |
| Kossuth | 178 | 9.0 (54) | 9.6 (72) | 755 | 5.8 (60) | 3.8 (81) | 15.4 (69) | 359 | 13.1 (3) | 16.4 (66) | 512 | 4.5 (23) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 6 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|----------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|------------------------|--------|----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | ۸۰۰ | emia |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | ema Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % - ≥95th (Rank) | Number | % (Rank) |
| Lee | 695 | 9.9 (68) | 6.2 (14) | 2,657 | 6.9 (76) | 2.4 (28) | 12.8 (28) | 1,096 | 16.1 (24) | 13.2 (28) | 1,618 | 10.3 (84) |
| Linn | 3,293 | 8.3 (37) | 8.9 (61) | 13,582 | 5.0 (29) | 3.0 (53) | 12.1 (18) | 6,016 | 18.3 (62) | 13.4 (30) | 9,268 | 12.6 (95) |
| Louisa | 229 | 9.2 (57) | 8.7 (57) | 969 | 4.7 (22) | 2.6 (38) | 15.7 (72) | 417 | 18.9 (70) | 18.7 (86) | 674 | 11.1 (89) |
| Lucas | 214 | 8.9 (53) | 9.3 (66) | 932 | 5.2 (34) | 2.3 (26) | 13.9 (47) | 421 | 14.5 (9) | 16.2 (63) | 660 | 8.6 (70) |
| Lyon | 114 | 5.3 (7) | 8.8 (59) | 553 | 3.4 (6) | 2.4 (28) | 13.6 (43) | 263 | 15.6 (17) | 12.2 (12) | 395 | 5.1 (30) |
| Madison | 220 | 10.0 (69) | 10.0 (75) | 863 | 7.2 (79) | 3.5 (72) | 14.4 (58) | 381 | 18.9 (70) | 13.6 (35) | 595 | 9.4 (78) |
| Mahaska | 435 | 9.7 (66) | 8.7 (57) | 1,816 | 7.0 (77) | 2.0 (18) | 16.7 (84) | 774 | 17.2 (38) | 16.5 (68) | 1,360 | 8.1 (65) |
| Marion | 469 | 9.2 (57) | 9.4 (68) | 2,180 | 7.3 (83) | 2.5 (33) | 12.8 (28) | 1,022 | 17.4 (42) | 12.3 (13) | 1,500 | 8.9 (73) |
| Marshall | 1,308 | 8.6 (45) | 9.5 (71) | 5,760 | 5.2 (34) | 2.5 (33) | 20.4 (99) | 2,664 | 18.1 (58) | 21.9 (98) | 4,394 | 5.3 (37) |
| Mills | 174 | 12.6 (83) | 4.0 (3) | 710 | 7.6 (90) | 2.8 (45) | 16.1 (73) | 306 | 20.9 (92) | 16.7 (70) | 489 | 7.6 (58) |
| Mitchell | 86 | * * | * * | 373 | 3.2 (3) | 3.2 (62) | 12.6 (24) | 165 | 15.2 (13) | 12.7 (16) | 251 | 4.8 (24) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 7 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|---------------------|----------------------|----------|--------------------------------|----------------------|--------|---------------|
| | | Birthweight | (5) | | | Н | eight and V | Veight | | | ۸۰۰ | emia |
| | | Low | High | | Short Stature (6) | Under- weight | | | ≥ 2 Yrs Over- weight (7) | | Low | Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Monona | 166 | 5.4 (9) | 3.6 (2) | 799 | 4.8 (24) | 1.0 (2) | 16.5 (80) | 388 | 20.6 (90) | 16.2 (63) | 594 | 9.4 (78) |
| Monroe | 152 | 6.6 (14) | 7.9 (43) | 634 | 5.2 (34) | 3.2 (62) | 19.1 (96) | 285 | 19.6 (79) | 20.0 (95) | 436 | 11.0 (87) |
| Montgomery | 238 | 6.7 (15) | 7.6 (37) | 1,058 | 4.3 (15) | 1.8 (13) | 16.4 (79) | 473 | 18.4 (63) | 20.9 (96) | 775 | 9.0 (74) |
| Muscatine | 1,146 | 7.8 (31) | 6.5 (20) | 4,540 | 6.0 (64) | 2.1 (20) | 16.5 (80) | 2,007 | 19.2 (74) | 19.0 (89) | 3,061 | 12.1 (93) |
| O Brien | 228 | 6.1 (10) | 9.6 (72) | 923 | 3.8 (10) | 3.4 (69) | 13.1 (34) | 378 | 15.1 (12) | 16.4 (66) | 595 | 5.2 (32) |
| Osceola | 89 | * * | * * | 346 | 4.3 (15) | 1.2 (5) | 13.3 (38) | 159 | 19.5 (76) | 15.1 (46) | 217 | 6.0 (42) |
| Page | 353 | 8.5 (44) | 5.7 (11) | 1,373 | 6.6 (73) | 3.4 (69) | 16.7 (84) | 597 | 17.6 (47) | 16.8 (73) | 954 | 7.3 (53) |
| Palo Alto | 151 | 9.3 (59) | 5.3 (8) | 590 | 4.7 (22) | 4.7 (92) | 9.7 (2) | 237 | 19.0 (73) | 9.7 (3) | 374 | 6.7 (50) |
| Plymouth | 292 | 8.6 (45) | 7.5 (36) | 1,115 | 5.1 (31) | 1.9 (16) | 15.3 (67) | 458 | 14.2 (7) | 16.6 (69) | 738 | 2.6 (9) |
| Pocahontas | 104 | 7.7 (28) | 13.5 (83) | 423 | 3.3 (4) | 2.6 (38) | 16.3 (76) | 174 | 14.4 (8) | 19.0 (89) | 274 | 4.4 (19) |
| Polk | 8,140 | 8.2 (36) | 7.7 (38) | 29,168 | 5.7 (56) | 2.7 (42) | 14.2 (54) | 11,675 | 16.0 (22) | 13.5 (32) | 19,457 | 12.6 (95) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for age for children under 2 years of age and height-for age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 8 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|----------------------|--------|-----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | ۸۰۰ | omio |
| | | Low | High | | Short Stature (6) | Under- weight (7) | | | ≥ 2 Yrs Over- weight (7) | | Low | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Pottawatta | 2,144 | 8.8 (49) | 6.3 (17) | 9,023 | 5.4 (46) | 2.5 (33) | 14.3 (56) | 4,043 | 19.7 (80) | 16.7 (70) | 6,457 | 7.4 (55) |
| Poweshiek | 268 | 5.2 (6) | 11.6 (81) | 1,115 | 5.6 (51) | 2.5 (33) | 19.2 (97) | 525 | 20.4 (88) | 19.4 (92) | 883 | 4.4 (19) |
| Ringgold | 68 | * * | * * | 324 | 8.0 (95) | 2.2 (23) | 17.6 (93) | 152 | 16.4 (27) | 18.4 (84) | 235 | 7.7 (62) |
| Sac | 95 | * * | * * | 452 | 5.1 (31) | 3.3 (66) | 12.2 (19) | 182 | 15.9 (18) | 18.7 (86) | 326 | 0.9 (3) |
| Scott | 3,499 | 9.1 (56) | 8.8 (59) | 14,148 | 6.1 (67) | 2.5 (33) | 12.4 (22) | 5,881 | 17.4 (42) | 13.5 (32) | 10,474 | 14.2 (98) |
| Shelby | 190 | 6.8 (17) | 7.4 (35) | 751 | 7.9 (92) | 2.8 (45) | 13.2 (37) | 356 | 18.0 (55) | 16.0 (59) | 518 | 5.2 (32) |
| Sioux | 620 | 7.6 (25) | 9.0 (62) | 2,821 | 4.1 (12) | 1.9 (16) | 14.9 (62) | 1,350 | 17.8 (51) | 15.0 (44) | 2,061 | 4.4 (19) |
| Story | 1,161 | 7.5 (23) | 9.1 (64) | 4,497 | 5.8 (60) | 4.0 (83) | 11.4 (10) | 1,875 | 15.9 (18) | 9.9 (4) | 2,341 | 6.7 (50) |
| Tama | 281 | 11.0 (77) | 14.2 (84) | 1,330 | 3.8 (10) | 2.6 (38) | 17.5 (92) | 625 | 18.1 (58) | 16.8 (73) | 944 | 6.5 (48) |
| Taylor | 125 | 9.6 (63) | 4.0 (3) | 535 | 5.0 (29) | 1.3 (7) | 14.2 (54) | 228 | 18.9 (70) | 15.4 (49) | 380 | 7.4 (55) |
| Union | 345 | 8.7 (48) | 7.0 (25) | 1,408 | 8.3 (98) | 3.3 (66) | 15.2 (65) | 633 | 18.2 (61) | 16.1 (61) | 977 | 10.0 (82) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 9 Run Date: 3 / 26 / 09

| | | Com | parison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|--------------------------------|------------------------|--------|----------------------|
| | | Birthweight | (5) | | | Не | eight and V | Veight | | | ۸۵ | emia |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | Low | ema Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % - ≥95th (Rank) | Number | % (Rank) |
| Van Buren | 74 | * * | * * | 338 | 4.1 (12) | 5.9 (98) | 11.5 (12) | 155 | 13.5 (4) | 11.0 (7) | 212 | 3.3 (14) |
| Wapello | 1,276 | 7.9 (32) | 7.2 (28) | 5,297 | 5.5 (48) | 3.3 (66) | 16.1 (73) | 2,283 | 18.4 (63) | 19.2 (91) | 2,346 | 6.4 (46) |
| Warren | 517 | 8.1 (35) | 10.3 (76) | 2,311 | 7.9 (92) | 1.8 (13) | 15.4 (69) | 1,031 | 20.5 (89) | 14.0 (37) | 1,650 | 8.4 (68) |
| Washington | 216 | 11.6 (80) | 9.3 (66) | 998 | 5.5 (48) | 3.9 (82) | 11.9 (16) | 477 | 16.1 (24) | 13.4 (30) | 737 | 14.5 (99) |
| Wayne | 116 | 11.2 (79) | 11.2 (79) | 490 | 7.3 (83) | 2.7 (42) | 16.3 (76) | 210 | 18.6 (66) | 17.1 (75) | 333 | 11.1 (89) |
| Webster | 1,002 | 7.5 (23) | 7.9 (43) | 3,902 | 7.2 (79) | 1.7 (12) | 17.4 (90) | 1,649 | 17.9 (53) | 15.6 (52) | 2,725 | 2.2 (8) |
| Winnebago | 163 | 8.0 (33) | 8.0 (45) | 715 | 7.4 (88) | 3.5 (72) | 14.3 (56) | 322 | 18.0 (55) | 17.1 (75) | 452 | 4.9 (27) |
| Winneshiek | 236 | 7.6 (25) | 8.1 (46) | 932 | 5.6 (51) | 2.9 (48) | 13.6 (43) | 395 | 18.0 (55) | 12.7 (16) | 597 | 10.1 (83) |
| Woodbury | 3,133 | 8.4 (39) | 7.3 (31) | 12,491 | 4.9 (28) | 2.0 (18) | 13.8 (46) | 5,320 | 17.4 (42) | 15.0 (44) | 8,615 | 7.6 (58) |
| Worth | 35 | * * | * * | 164 | 3.7 (9) | 4.3 (90) | 11.0 (8) | 75 | * * | * * | 102 | 5.9 (41) |
| Wright | 323 | 5.3 (7) | 8.4 (52) | 1,371 | 6.1 (67) | 1.4 (8) | 17.0 (89) | 589 | 21.6 (95) | 16.3 (65) | 966 | 3.1 (10) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 10 Run Date: 3 / 26 / 09

| | | Con | nparison o | of Growt | h and A | nemia I | ndicato | rs by Co | ounty | (3,4) | | |
|------------------|--------|------------------------|------------------------|----------|-------------------------|-------------------------|----------------------|----------|---|----------------------|---------|-----------------------|
| | | Birthweigh | t (5) | | | Не | eight and V | Veight | | | | |
| | | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight ₍₇₎ | | Low I | emia Hb/Hct (8) |
| County | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Unknown Counties | 0 | * * | * * | 10 | * * | * * | * * | 6 | * * | * * | 10 | * * |
| lowa | 54,396 | 8.4 | 7.9 | 219,886 | 5.7 | 2.9 | 14.1 | 94,780 | 17.6 | 14.9 | 145,621 | 8.8 |

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

Page: Run Date:

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

| | | | Breastfe | eeding 5) | | | | Exclu | sive B | reastfeedii (6) | ng | ≤2 Hou Viewing (*) | | Smok Hous | king in ehold |
|------------|--------|----------------------------------|----------|--------------------------------------|--------|---------------------------------------|--------|------------------------------|--------------------------------------|--------------------|--------------------------------------|--------------------------|-------------|--------------|------------------|
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le () Moi | % stfed it ast 3 nths | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Adair | 165 | 53.3 (70) | 139 | 20.1 (35) | 97 | * * | 143 | 9.1 | (17) | 129 | 3.9 (26) | 210 | 85.2 (34) | 285 | 42.8 (54) |
| Adams | 78 | * * | 59 | * * | 46 | * * | 60 | * | * | 56 | * * | 113 | 80.5 (80) | 142 | 52.1 (93) |
| Allamakee | 389 | 78.1 (1) | 326 | 48.8 (1) | 230 | 29.6 (1) | 328 | 12.2 | (5) | 303 | 6.3 (7) | 520 | 92.5 (7) | 717 | 26.2 (10) |
| Appanoose | 265 | 48.3 (83) | 208 | 10.1 (82) | 149 | 6.0 (57) | 184 | 3.8 | (70) | 186 | 1.6 (70) | 311 | 91.6 (10) | 474 | 48.1 (82) |
| Audubon | 77 | * * | 59 | * * | 38 | * * | 63 | * | * | 59 | * * | 82 | * * | 131 | 58.8 (98) |
| Benton | 235 | 59.6 (43) | 192 | 14.6 (67) | 132 | 9.1 (44) | 181 | 6.6 | (41) | 184 | 3.3 (36) | 257 | 91.8 (9) | 414 | 54.3 (94) |
| Blackhawk | 3,247 | 59.0 (50) | 2,761 | 18.8 (39) | 1,945 | 10.6 (35) | 2,687 | 9.0 | (18) | 2,660 | 4.0 (23) | 3,227 | 82.3 (72) | 5,479 | 41.1 (47) |
| Boone | 261 | 60.9 (35) | 215 | 30.7 (12) | 158 | 15.8 (13) | 181 | 6.6 | (41) | 189 | 3.7 (29) | 270 | 84.4 (39) | 488 | 18.6 (4) |
| Bremer | 204 | 66.7 (16) | 185 | 21.6 (32) | 133 | 12.8 (22) | 173 | 12.7 | (3) | 176 | 8.5 (2) | 184 | 90.8 (13) | 336 | 38.7 (38) |
| Buchanan | 274 | 58.0 (51) | 234 | 16.7 (55) | 166 | 11.4 (31) | 225 | 10.7 | (10) | 227 | 5.7 (10) | 297 | 88.2 (16) | 458 | 45.2 (64) |
| Buena Vist | 594 | 71.7 (7) | 512 | 31.6 (8) | 363 | 20.4 (6) | 407 | 4.4 | (66) | 420 | 1.9 (67) | 869 | 77.4 (87) | 1,139 | 19.2 (6) |
| Butler | 104 | 59.6 (43) | 77 | * * | 55 | * * | 67 | * | * | 68 | * * | 131 | 83.2 (52) | 190 | 55.8 (96) |
| Calhoun | 91 | * * | 84 | * * | 57 | * * | 85 | * | * | 83 | * * | 121 | 86.0 (26) | 172 | 47.7 (78) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

| | | | Breastfe (| eeding 5) | | | | Exclu | ısive B | reastfeedi (6) | ng | ≤2 Hou Viewin (° | | | ing in ehold |
|------------|--------|-----------------------------|---------------|--------------------------------------|--------|---------------------------------------|--------|-----------------------|-------------------------|-------------------|--------------------------------------|------------------------|-------------|--------|-----------------|
| County | Number | Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le Mo | % ustfed At east 3 nths | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Carroll | 322 | 61.5 (34) | 261 | 16.1 (60) | 166 | 4.8 (61) | 262 | 4.6 | (64) | 246 | 2.0 (64) | 304 | 84.2 (41) | 518 | 48.6 (85) |
| Cass | 282 | 53.5 (69) | 246 | 12.2 (78) | 172 | 4.7 (62) | 246 | 6.1 | (49) | 228 | 2.2 (61) | 339 | 86.7 (22) | 484 | 46.9 (73) |
| Cedar | 144 | 60.4 (39) | 134 | 17.2 (52) | 87 | * * | 136 | 7.4 | (30) | 126 | 3.2 (41) | 45 | * * | 245 | 32.7 (21) |
| Cerro Gord | 984 | 56.0 (59) | 750 | 15.5 (65) | 553 | 10.1 (38) | 639 | 5.2 | (57) | 637 | 2.4 (55) | 1,121 | 83.7 (48) | 1,710 | 44.1 (58) |
| Cherokee | 213 | 60.6 (37) | 197 | 17.8 (47) | 128 | 9.4 (42) | 164 | 13.4 | (2) | 166 | 5.4 (12) | 294 | 86.1 (25) | 417 | 50.1 (87) |
| Chickasaw | 113 | 69.9 (10) | 109 | 15.6 (64) | 74 | * * | 97 | * | * | 105 | 4.8 (17) | 152 | 82.2 (74) | 230 | 47.8 (80) |
| Clarke | 269 | 59.1 (49) | 202 | 25.7 (19) | 126 | 12.7 (24) | 193 | 6.7 | (39) | 182 | 3.3 (36) | 304 | 79.9 (83) | 450 | 38.2 (36) |
| Clay | 429 | 63.6 (29) | 363 | 22.9 (27) | 257 | 12.5 (25) | 309 | 4.9 | (61) | 316 | 2.2 (61) | 500 | 86.0 (26) | 737 | 38.7 (38) |
| Clayton | 213 | 55.4 (61) | 192 | 22.4 (29) | 138 | 12.3 (26) | 183 | 9.8 | (14) | 175 | 5.1 (13) | 278 | 87.8 (18) | 401 | 44.6 (61) |
| Clinton | 986 | 56.8 (56) | 813 | 15.7 (63) | 528 | 9.8 (39) | 834 | 6.8 | (37) | 757 | 2.6 (50) | 189 | 82.5 (69) | 1,635 | 35.2 (27) |
| Crawford | 575 | 67.0 (14) | 497 | 14.9 (66) | 372 | 8.9 (46) | 510 | 3.1 | (76) | 447 | 1.1 (75) | 753 | 77.8 (86) | 1,065 | 23.0 (7) |
| Dallas | 729 | 73.7 (3) | 602 | 30.9 (11) | 419 | 14.6 (17) | 613 | 6.7 | (39) | 565 | 4.1 (20) | 793 | 84.2 (41) | 1,234 | 30.1 (16) |
| Davis | 74 | * * | 61 | * * | 47 | * * | 53 | * | * | 52 | * * | 95 | * * | 134 | 33.6 (22) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 - Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $\ ^{(3)}$

| | Com | parison | of Brea | astfeedin | ıg, TV | Viewing, | and S | mok | ing i | n House | ehold by | County | | | |
|------------|--------|----------------------------------|------------|--------------------------------------|--------|---------------------------------------|--------|-----------------------------|----------|--------------------|--------------------------------------|----------------------------------|-------------|--------|-----------------|
| | | | Breastfe (| eeding 5) | | | | Exclu | sive B | reastfeedii (6) | ng | <u><</u> 2 Ho∟ Viewin (| | | ing in ehold |
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le (Mor | ast 3 | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Decatur | 213 | 54.5 (65) | 160 | 23.8 (23) | 125 | 12.8 (22) | 161 | 6.2 | (48) | 136 | 5.1 (13) | 300 | 83.0 (57) | 408 | 49.0 (86) |
| Delaware | 182 | 51.6 (72) | 164 | 14.6 (67) | 109 | 7.3 (55) | 145 | 10.3 | (12) | 144 | 4.9 (15) | 211 | 95.7 (4) | 296 | 30.1 (16) |
| Des Moines | 987 | 57.8 (52) | 804 | 13.7 (72) | 546 | 5.9 (58) | 765 | 5.9 | (52) | 718 | 2.5 (52) | 1,057 | 82.7 (66) | 1,687 | 42.6 (53) |
| Dickinson | 155 | 65.2 (23) | 132 | 12.1 (79) | 84 | * * | 103 | 7.8 | (28) | 106 | 2.8 (46) | 174 | 83.3 (51) | 276 | 42.0 (50) |
| Dubuque | 1,626 | 46.4 (86) | 1,375 | 18.5 (44) | 898 | 11.0 (32) | 1,310 | 9.3 | (15) | 1,271 | 4.2 (19) | 1,996 | 96.2 (2) | 2,808 | 18.8 (5) |
| Emmet | 218 | 59.6 (43) | 177 | 23.7 (24) | 120 | 14.2 (20) | 149 | 4.0 | (68) | 150 | 2.0 (64) | 290 | 81.0 (78) | 401 | 31.2 (18) |
| Fayette | 279 | 59.9 (42) | 246 | 19.5 (36) | 177 | 8.5 (48) | 241 | 8.7 | (21) | 236 | 3.8 (27) | 388 | 83.2 (52) | 509 | 46.2 (69) |
| Floyd | 250 | 59.2 (48) | 207 | 18.8 (39) | 163 | 12.3 (26) | 165 | 7.3 | (32) | 171 | 3.5 (34) | 313 | 84.0 (45) | 459 | 48.1 (82) |
| Franklin | 235 | 63.8 (27) | 180 | 27.8 (14) | 132 | 17.4 (10) | 155 | 3.2 | (74) | 158 | 0.6 (79) | 333 | 81.1 (76) | 443 | 32.3 (20) |
| Fremont | 103 | 46.6 (85) | 100 | 19.0 (38) | 77 | * * | 94 | * | * | 94 | * * | 125 | 72.8 (92) | 188 | 45.2 (64) |
| Greene | 165 | 55.2 (63) | 136 | 16.9 (53) | 97 | * * | 137 | 6.6 | (41) | 132 | 2.3 (57) | 217 | 83.4 (50) | 304 | 45.7 (67) |
| Grundy | 63 | * * | 58 | * * | 37 | * * | 58 | * | * | 58 | * * | 85 | * * | 112 | 48.2 (84) |
| Guthrie | 97 | * * | 83 | * * | 53 | * * | 81 | * | * | 82 | * * | 126 | 84.1 (43) | 178 | 47.8 (80) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) Children ages 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

(2)

4 3 / 26 / 09

Date: 3 / 26

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | | parison | | | | | | | 9 | (4,5) |) | | | . | |
|-----------|--------|-------------------|---------------|-----------------------------|--------|--|--------|------------------------------|------------------|--------------------|---|----------------------------------|-----------|--------------|------------------|
| | | | Breastfe (| eeding 5) | | | | Exclu | sive B | reastfeedii (6) | ng | <u><</u> 2 Hou Viewin (| | | king in ehold |
| County | Number | Ever Breastfed | Number | Breastfed At Least 6 Months | Number | Breastfed At Least 12 Months | Number | Brea A Le () Mor | ast 3 nths | Number | Breastfed At Least 6 Months | Number | % | Number | % |
| | | (Rank) | | (Rank) | | (Rank) | | (Ra | ınk) | | (Rank) | | (Rank) | | (Rank) |
| Hamilton | 280 | 60.0 (41) | 231 | 21.6 (32) | 163 | 11.7 (30) | 200 | 6.5 | (45) | 192 | 3.1 (43) | 341 | 76.2 (90) | 487 | 37.4 (31) |
| Hancock | 131 | 63.4 (30) | 101 | 18.8 (39) | 74 | * * | 80 | * | * | 82 | * * | 160 | 85.0 (35) | 238 | 44.5 (60) |
| Hardin | 292 | 51.4 (74) | 236 | 23.3 (25) | 182 | 16.5 (11) | 190 | 6.3 | (47) | 198 | 4.0 (23) | 317 | 82.6 (67) | 518 | 28.0 (12) |
| Harrison | 199 | 65.3 (22) | 158 | 14.6 (67) | 107 | 9.3 (43) | 170 | 8.8 | (20) | 153 | 5.9 (8) | 212 | 76.4 (89) | 331 | 50.5 (90) |
| Henry | 320 | 66.3 (17) | 269 | 16.0 (61) | 186 | 7.0 (56) | 245 | 8.6 | (22) | 241 | 2.9 (44) | 402 | 84.1 (43) | 562 | 40.0 (42) |
| Howard | 154 | 73.4 (4) | 130 | 26.2 (18) | 90 | * * | 129 | 8.5 | (23) | 123 | 4.9 (15) | 169 | 88.2 (16) | 256 | 43.0 (55) |
| Humboldt | 163 | 67.5 (13) | 138 | 33.3 (5) | 96 | * * | 129 | 9.3 | (15) | 123 | 6.5 (6) | 262 | 85.9 (29) | 334 | 34.1 (24) |
| lda | 130 | 56.9 (55) | 113 | 12.4 (77) | 81 | * * | 95 | * | * | 96 | * * | 162 | 84.6 (38) | 261 | 58.2 (97) |
| lowa | 159 | 67.9 (12) | 131 | 32.1 (7) | 90 | * * | 110 | 10.9 | (8) | 108 | 2.8 (46) | 172 | 83.1 (55) | 288 | 26.7 (11) |
| Jackson | 256 | 48.8 (81) | 220 | 10.5 (81) | 144 | 4.9 (60) | 232 | 3.4 | (72) | 207 | 1.4 (73) | 64 | * * | 444 | 37.4 (31) |
| Jasper | 508 | 57.1 (54) | 382 | 18.3 (45) | 264 | 7.6 (51) | 388 | 5.9 | (52) | 343 | 3.8 (27) | 673 | 83.8 (46) | 939 | 43.3 (56) |
| Jefferson | 243 | 60.9 (35) | 202 | 18.3 (45) | 149 | 5.4 (59) | 168 | 8.3 | (24) | 172 | 4.1 (20) | 324 | 94.8 (5) | 456 | 34.4 (25) |
| Johnson | 1,677 | 70.8 (8) | 1,250 | 32.5 (6) | 916 | 20.7 (5) | 1,176 | 12.7 | (3) | 1,086 | 5.7 (10) | 1,587 | 79.6 (84) | 2,956 | 16.2 (1) |

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | Com | parison | of Brea | astfeedin | ıg, TV | Viewing, | and S | mok | ing i | n House | | County | | | |
|----------|--------|----------------------------------|----------|--------------------------------------|--------|---------------------------------------|--------|-----------------------|--|-------------------|--------------------------------------|-----------------------|-------------|--------------|-----------------|
| | | | Breastfe | - | | | | Exclu | usive B | reastfeedi (6) | ng | <2 Hou Viewin (| | Smok Hous | ing in ehold |
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | Brea A Le Mo | % astfed At east 3 nths | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Jones | 215 | 56.3 (58) | 185 | 16.8 (54) | 127 | 11.8 (28) | 164 | 7.3 | (32) | 169 | 2.4 (55) | 275 | 96.4 (1) | 374 | 25.9 (9) |
| Keokuk | 85 | * * | 81 | * * | 61 | * * | 70 | * | * | 74 | * * | 125 | 96.0 (3) | 174 | 47.7 (78) |
| Kossuth | 176 | 61.9 (32) | 144 | 22.2 (30) | 101 | 15.8 (13) | 102 | 5.9 | (52) | 111 | 3.6 (30) | 241 | 80.1 (81) | 342 | 41.8 (49) |
| Lee | 715 | 56.8 (56) | 566 | 13.1 (75) | 370 | 4.3 (64) | 560 | 5.7 | (55) | 497 | 2.0 (64) | 760 | 87.1 (20) | 1,197 | 44.0 (57) |
| Linn | 3,522 | 59.3 (46) | 2,859 | 17.5 (49) | 1,939 | 9.5 (41) | 2,515 | 6.8 | (37) | 2,473 | 3.3 (36) | 2,513 | 86.4 (23) | 5,979 | 41.0 (46) |
| Louisa | 230 | 72.6 (5) | 215 | 26.5 (17) | 153 | 18.3 (9) | 187 | 1.6 | (79) | 188 | 1.1 (75) | 292 | 82.9 (60) | 436 | 30.0 (15) |
| Lucas | 229 | 54.1 (67) | 208 | 15.9 (62) | 158 | 4.4 (63) | 182 | 6.0 | (51) | 188 | 2.7 (48) | 292 | 82.9 (60) | 406 | 44.8 (62) |
| Lyon | 117 | 65.0 (25) | 113 | 31.0 (10) | 84 | * * | 92 | * | * | 98 | * * | 149 | 91.9 (8) | 228 | 42.1 (51) |
| Madison | 214 | 64.5 (26) | 180 | 26.7 (15) | 115 | 16.5 (11) | 158 | 8.9 | (19) | 159 | 2.5 (52) | 259 | 83.8 (46) | 380 | 46.3 (70) |
| Mahaska | 455 | 48.4 (82) | 376 | 19.4 (37) | 274 | 13.9 (21) | 346 | 6.6 | (41) | 332 | 3.3 (36) | 578 | 82.2 (74) | 818 | 47.4 (76) |
| Marion | 521 | 60.5 (38) | 459 | 16.6 (58) | 331 | 10.6 (35) | 415 | 4.8 | (62) | 430 | 2.3 (57) | 725 | 82.5 (69) | 953 | 47.4 (76) |
| Marshall | 1,367 | 65.4 (21) | 1,039 | 22.0 (31) | 766 | 10.8 (34) | 1,034 | 2.7 | (78) | 947 | 1.6 (70) | 1,928 | 79.6 (84) | 2,567 | 17.4 (2) |
| Mills | 186 | 55.4 (61) | 171 | 18.7 (42) | 118 | 7.6 (51) | 169 | 8.3 | (24) | 150 | 4.0 (23) | 213 | 89.2 (15) | 322 | 37.3 (30) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) Children ages 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3

(2)

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

| | | | Breastfe (| eeding 5) | | | | Exclu | ısive B | reastfeedi (6) | ng | ≤2 Hou Viewin (° | | | king in ehold |
|------------|--------|----------------------------------|---------------|--------------------------------------|--------|---------------------------------------|-------|-----------------------|------------------------|-------------------|--------------------------------------|------------------------|-------------|--------|------------------|
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Numbe | Brea A Le Mo | % astfed ast ast anths | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Mitchell | 94 | * * | 69 | * * | 53 | * * | 59 | * | * | 57 | * * | 112 | 91.1 (12) | 167 | 47.3 (75) |
| Monona | 177 | 51.4 (74) | 135 | 11.1 (80) | 96 | * * | 158 | 5.1 | (58) | 129 | 2.3 (57) | 272 | 86.0 (26) | 346 | 50.3 (88) |
| | | | | | | | | | | | . , | | | | |
| Monroe | 169 | 51.5 (73) | 150 | 16.7 (55) | 102 | 3.9 (65) | 134 | 7.5 | (29) | 139 | 3.6 (30) | 213 | 83.1 (55) | 294 | 54.8 (95) |
| Montgomery | 235 | 49.8 (77) | 202 | 9.4 (83) | 131 | 3.8 (66) | 205 | 4.4 | (66) | 192 | 1.0 (77) | 334 | 76.6 (88) | 450 | 45.1 (63) |
| Muscatine | 1,127 | 69.8 (11) | 941 | 36.6 (3) | 665 | 26.2 (2) | 899 | 3.4 | (72) | 851 | 1.9 (67) | 1,406 | 85.6 (31) | 2,052 | 34.7 (26) |
| O Brien | 229 | 65.1 (24) | 192 | 26.6 (16) | 140 | 14.3 (18) | 158 | 11.4 | (7) | 165 | 7.3 (4) | 280 | 83.2 (52) | 414 | 35.5 (28) |
| Osceola | 92 | * * | 71 | * * | 40 | * * | 59 | * | * | 59 | * * | 112 | 83.0 (57) | 161 | 37.9 (34) |
| Page | 351 | 44.4 (87) | 292 | 13.0 (76) | 197 | 7.6 (51) | 326 | 4.0 | (68) | 279 | 2.5 (52) | 410 | 80.0 (82) | 592 | 38.2 (36) |
| Palo Alto | 154 | 60.4 (39) | 130 | 23.1 (26) | 83 | * * | 104 | 10.6 | (11) | 108 | 7.4 (3) | 167 | 87.4 (19) | 261 | 45.2 (64) |
| Plymouth | 306 | 63.7 (28) | 259 | 17.8 (47) | 177 | 9.0 (45) | 228 | 11.8 | (6) | 226 | 5.8 (9) | 299 | 82.6 (67) | 510 | 46.5 (72) |
| Pocahontas | 104 | 49.0 (80) | 88 | * * | 61 | * * | 76 | * | * | 77 | * * | 130 | 86.9 (21) | 188 | 39.9 (41) |
| Polk | 8,242 | 65.7 (18) | 6,153 | 24.7 (20) | 4,523 | 14.8 (16) | 5,912 | 4.8 | (62) | 5,808 | 2.6 (50) | 5,818 | 75.9 (91) | 12,875 | 31.6 (19) |
| Pottawatta | 2,201 | 47.5 (84) | 1,867 | 13.4 (74) | 1,277 | 7.4 (54) | 1,681 | 4.6 | (64) | 1.647 | 1.8 (69) | 2,833 | 81.1 (76) | 4,046 | 44.2 (59) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 -) Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

3 / 26 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

| | Com | parison | of Brea | astfeedin | ıg, TV ' | Viewing, | and S | mok | ing i | n Hous | ehold by | County | | | |
|-----------|--------|------------------------|----------|-----------------------------|----------|--|--------|-----------------------|-------------------------|-------------------|---|------------------------|-----------|--------------|-----------|
| | | | Breastfe | eeding 5) | | | | Exclu | ısive B | reastfeedi (6) | ng | ≤2 Hou Viewin (° | | Smok Hous | |
| County | Number | % Ever Breastfed | Number | Breastfed At Least 6 Months | Number | Breastfed At Least 12 Months | Number | Brea A Le Mo | % astfed At east 3 nths | Number | Breastfed At Least 6 Months | Number | % | Number | % |
| | | (Rank) | | (Rank) | | (Rank) | | (Ha | ank) | | (Rank) | | (Rank) | | (Rank) |
| Poweshiek | 275 | 59.3 (46) | 209 | 16.7 (55) | 145 | 11.0 (32) | 185 | 3.2 | (74) | 182 | 2.7 (48) | 374 | 85.6 (31) | 518 | 40.9 (43) |
| Ringgold | 65 | * * | 59 | * * | 40 | * * | 53 | * | * | 54 | * * | 112 | 83.0 (57) | 131 | 51.9 (92) |
| Sac | 109 | 49.5 (79) | 99 | * * | 72 | * * | 107 | 3.7 | (71) | 97 | * * | 129 | 82.9 (60) | 202 | 46.0 (68) |
| Scott | 3,644 | 49.7 (78) | 3,098 | 14.0 (71) | 2,135 | 8.3 (49) | 3,276 | 5.6 | (56) | 2,934 | 2.2 (61) | 4,171 | 84.4 (39) | 6,327 | 42.3 (52) |
| Shelby | 189 | 57.7 (53) | 148 | 20.9 (34) | 95 | * * | 165 | 7.3 | (32) | 139 | 3.6 (30) | 232 | 93.1 (6) | 338 | 50.3 (88) |
| Sioux | 648 | 75.9 (2) | 561 | 31.6 (8) | 420 | 18.8 (8) | 489 | 10.0 | (13) | 493 | 4.1 (20) | 887 | 86.2 (24) | 1,261 | 28.3 (13) |
| Story | 1,229 | 71.9 (6) | 939 | 35.0 (4) | 678 | 24.3 (3) | 786 | 10.9 | (8) | 802 | 6.7 (5) | 1,072 | 80.6 (79) | 2,085 | 17.4 (2) |
| Tama | 306 | 62.7 (31) | 243 | 24.3 (22) | 174 | 15.5 (15) | 231 | 8.2 | (26) | 225 | 4.4 (18) | 442 | 72.2 (93) | 599 | 29.7 (14) |
| Taylor | 127 | 52.8 (71) | 97 | * * | 66 | * * | 94 | * | * | 86 | * * | 165 | 82.4 (71) | 230 | 38.7 (38) |
| Union | 345 | 53.9 (68) | 285 | 22.8 (28) | 203 | 11.8 (28) | 264 | 8.0 | (27) | 252 | 3.2 (41) | 439 | 83.6 (49) | 631 | 46.4 (71) |
| Van Buren | 68 | * * | 58 | * * | 41 | * * | 48 | * | * | 49 | * * | 115 | 91.3 (11) | 140 | 50.7 (91) |
| Wapello | 1,319 | 56.0 (59) | 1,113 | 17.3 (51) | 785 | 9.8 (39) | 949 | 6.1 | (49) | 966 | 2.9 (44) | 1,483 | 90.8 (13) | 2,325 | 25.6 (8) |
| Warren | 577 | 65.5 (20) | 512 | 16.4 (59) | 359 | 10.3 (37) | 471 | 7.2 | (35) | 483 | 3.3 (36) | 426 | 85.4 (33) | 1,021 | 40.9 (43) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 - Children ages 2 years and older included in the analyses.
 - Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 8 Run Date: 3 / 26 / 09

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

| | Com | parison | of Brea | stfeedin | ıg, TV | Viewing, | and Si | moki | ng i | n Hous | | County | | | |
|--------------------|--------|----------------------------------|----------|--------------------------------------|--------|---------------------------------------|--------|-------------------------------------|--------------------------|-------------------|--------------------------------------|---------------------------------|-------------|--------|------------------|
| | | | Breastfe | Ū | | | | Exclus | sive B | reastfeedi (6) | ng | <u><</u> 2 Ho Viewir (| | | king in ehold |
| County | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | 8 Breas At Lea 3 Mon | stfed t ast ths | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| M/a a la imarta ra | 007 | , | 104 | , | 1.47 | , | 175 | ` | , | 474 | | 000 | , | 401 | |
| Washington | 227 | 65.6 (19) | 194 | 24.7 (20) | 147 | 14.3 (18) | 175 | 5.1 | (58) | 171 | 2.3 (57) | 268 | 82.8 (63) | 421 | 37.5 (33) |
| Wayne | 130 | 54.6 (64) | 105 | 14.3 (70) | 73 | * * | 107 | 6.5 | (45) | 101 | 1.0 (77) | 158 | 82.3 (72) | 225 | 40.9 (43) |
| Webster | 968 | 54.5 (65) | 814 | 18.7 (42) | 559 | 8.8 (47) | 684 | 6.9 | (36) | 686 | 3.5 (34) | 1,200 | 85.7 (30) | 1,754 | 41.5 (48) |
| Winnebago | 177 | 61.6 (33) | 143 | 17.5 (49) | 94 | * * | 108 | 7.4 | (30) | 112 | 3.6 (30) | 215 | 84.7 (37) | 313 | 47.0 (74) |
| Winneshiek | 233 | 70.8 (8) | 208 | 37.5 (2) | 140 | 19.3 (7) | 196 | 16.8 | (1) | 190 | 8.9 (1) | 272 | 84.9 (36) | 404 | 36.9 (29) |
| Woodbury | 3,156 | 50.8 (76) | 2,498 | 13.7 (72) | 1,729 | 7.9 (50) | 2,491 | 3.1 | (76) | 2,234 | 1.3 (74) | 3,475 | 82.8 (63) | 5,574 | 33.9 (23) |
| Worth | 44 | * * | 32 | * * | 20 | * * | 21 | * | * | 24 | * * | 58 | * * | 76 | * * |
| Wright | 346 | 66.8 (15) | 293 | 29.0 (13) | 212 | 21.2 (4) | 255 | 5.1 | (58) | 257 | 1.6 (70) | 418 | 82.8 (63) | 617 | 37.9 (34) |
| Unknown Counties | 1 | * * | 3 | * * | 2 | * * | 1 | * | * | 1 | * * | 2 | * * | 6 | * * |
| lowa | 56,098 | 59.6 | 45,717 | 20.4 | 32,127 | 11.9 | 43,048 | 6.4 | | 41,413 | 3.1 | 59,068 | 83.4 | 97,554 | 36.0 |



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.